

FULL EFFECT



PROJECT
SPEC TYPE
NOTES



WWW.BULLARDCOLLECTION.COM

OUTDOOR
TECHNICAL
DECORATIVE




WE WELCOME ALL CUSTOM ORDERS

Contact Us:

sales@gordonbullard.com
www.cerchiolighting.com
1 877-964-4646

PROJECT	
SPEC TYPE	
NOTES	



HOW TO ORDER:

CODE

Example: C-15SL1-FE-S-D110-7-5-600W-80-30K-DL-AE-CS-RE

1 LIGHT DISTRIBUTION: C-15SL1
-FE Full Effect

2 INSTALLATION TYPE:
-S Suspended
-CM Ceiling Mounted

3 CIRCLE DIAMETER: -D110
-D110 110"

4 SIDE PROFILE HEIGHT: -7-5
-7-5 7.5"

5 POWER: -600W
-600W 600 Watts


6 LED CRI: -80
-80 CRI 80

7 SPECIFY CCT AND LIGHT EMISSION:
-30K 3000K/31,530lm
-40K 4000K/33,900lm

8 DIMMING OPTION:
-STD Non-Dimmable
-DL DALI

9 FIXTURE FINISH: -AE
-AE Matt White

PROJECT	
SPEC TYPE	
NOTES	



WWW.BULLARDCOLLECTION.COM

OUTDOOR
TECHNICAL
DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

Contact Us:

sales@gordonbullard.com
www.cerchiolighting.com
1 877-964-4646

HOW TO ORDER:


CODE

Example:

C-15SL1-FE-S-D110-7-5-600W-80-30K-DL-AE-CS-RE

C-15SL1

10 CANOPY OPTIONS:



-CS
cable
straight



-NSR
nexus central
standard

11 ADDITIONAL FEATURES:

- RE Remote Emergency
- OS Occupancy Sensor
- DS Daylight Sensor / Light Harvesting

* E.G.: RE = Remote Emergency