


FULL EFFECT



PROJECT
SPEC TYPE
NOTES



GENERAL INFORMATION:

The BUBBLE 3000 TUNABLE WHITE SUSPENDED (without joint) seamlessly integrates lighting effects with its design, exhibiting a shape that adapts independently to the light beam direction and effortlessly blends into any setting, providing ample room for architectural creativity. The BUBBLE 3000 TUNABLE WHITE SUSPENDED (without joint) has a size of 110 inches and tunable white LED system with color temperature range from 2700K to 6500K with full effect lighting.

OPTICS:

Smooth opal polycarbonate diffuser, injection-molded, shock-resistant, and anti-aging.

FINISHING:

Matt White

BODY:

Round metal frame, seats for the electrical components and anchor points for the suspension device and diffusers.

VOLTAGE:

110-277V



LIGHTING:

LED



LIGHTING EFFICIENCY:

≥ 60 lm/w

IP RATING:

20




APPLIANCE CLASS:

I



PROJECT	
SPEC TYPE	
NOTES	



HOW TO ORDER:

CODE

Example: C-15SW1-FE-S-D110-5-600W-80-TW-DL-AE-CS-DDR

1 LIGHT DISTRIBUTION: -FE
-FE Full Effect 

2 INSTALLATION TYPE: -S
-S Suspended -CM
-CM Ceiling Mounted

3 CIRCLE DIAMETER: -D110
-D110 110"

4 SIDE PROFILE HEIGHT: -7.5
-7.5 7.5"

5 POWER: -600W
-600W 600 Watts



6 LED CRI: -80
-80 CRI 80

7 SPECIFY CCT AND LIGHT EMISSION: -TW
-TW Tunable White: 2700K-6500K / 33,900 lm

8 DIMMING OPTION: -DL
-DL DALI

9 FIXTURE FINISH: -AE
-AE Matt White

PROJECT	
SPEC TYPE	
NOTES	



WWW.BULLARDCOLLECTION.COM

OUTDOOR
TECHNICAL
DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

Contact Us:

sales@gordonbullard.com

www.cerchiolighting.com

1 877-964-4646


HOW TO ORDER:

CODE

Example:
C-15SW1-FE-S-D110-5-600W-80-TW-DL-AE-CS-DDR

C-15SW1

10 CANOPY OPTIONS:



-CS
cable
straight



-NSR
nexus central
standard

11 ADDITIONAL ACCESSORIES:

-DDPH Dimming DALI Kit (Wireless receivers unit + portable hand transmitter).

-DPT Dimming DALI Kit (Wireless receivers unit + portable table /wall transmitter with integrated light sensor).

-DDR Dimming DALI Kit (Remote Controller via push-button for multi luminaires installation).