



PROJECT

SPEC TYPE

NOTES

GENERAL INFORMATION:

The BUBBLE TOURBILLON TUNABLE WHITE seamlessly integrates lighting effects with its design, exhibiting a shape that adapts independently to the light beam direction and effortlessly blends into any setting, providing ample room for architectural creativity.

The BUBBLE TOURBILLON TUNABLE WHITE has a size of 110 inches and tunable white LED system with color temperature range from 2700K to 6500K with full effect lighting.

OPTICS:

Smooth opal polycarbonate diffuser, injection-molded, shock-resistant, and anti-aging.

FINISHING:

Matt White

BODY:

Round metal frame, seats for the electrical components and anchor points for the suspension device and diffusers.

VOLTAGE:

110-277V



LIGHTING:

LED



LIGHTING EFFICIENCY:

≥ 60 lm/w

IP RATING:

20

IP20

APPLIANCE CLASS:

I



SUSPENDED



CEILING MOUNTED



WWW.BULLARDCOLLECTION.COM

OUTDOOR
TECHNICAL
DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

Contact Us:

sales@gordonbullard.com


www.cerchiolighting.com

1 877-964-4646


PROJECT

SPEC TYPE

NOTES



SUSPENDED



CEILING MOUNTED



HOW TO ORDER:

CODE

Example:

C-15SW1-FE-S-D110-5-1055W-80-TW-DL-AE-CS-DDR

C-15SW1

1 LIGHT DISTRIBUTION:

-FE Full Effect



-FE

2 INSTALLATION TYPE:

-S Suspended

-CM Ceiling-mounted

-S

3 CIRCLE DIAMETER:

-D110 110"

-D110

4 SIDE PROFILE HEIGHT:

-7-5 7.5"

-7-5

5 POWER:

-1055W 1055 Watts

-1055W

6 LED CRI:

-80 CRI 80

-80

7 SPECIFY CCT AND LIGHT EMISSION:

-TW Tunable White: 2700K-6500K / 58,440 lm

-TW

8 DIMMING OPTION:

-DL DALI

-DL

9 FIXTURE FINISH:

-AE Matt White

-AE

PROJECT

SPEC TYPE

NOTES


HOW TO ORDER:

CODE


Example:
C-15SW1-FE-S-D110-5-1055W-80-TW-DL-AE-CS-DDR

C-15SW1

10 CANOPY OPTIONS:




-CS
cable
straight




-NSR
nexus central
standard

11 ADDITIONAL ACCESSORIES:

- DDPH Dimming DALI Kit (Wireless receivers unit + portable hand transmitter).
- DPT Dimming DALI Kit (Wireless receivers unit + portable table / wall transmitter with integrated light sensor).
- DDR Dimming DALI Kit (Remote Controller via push-button for multi luminaires installation).



SUSPENDED



CEILING MOUNTED



LED



IP20



WWW.BULLARDCOLLECTION.COM

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

Contact Us:

sales@gordonbullard.com

www.cerchiolighting.com

1 877-964-4646