




PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

The BUBBLE 1000 STABLE WHITE seamlessly integrates lighting effects with its design, exhibiting a shape that adapts independently to the light beam direction and effortlessly blends into any setting, providing ample room for architectural creativity.

The BUBBLE 1000 STABLE WHITE has a size of 39 inches and two color temperatures to choose from: 3000K and 4000K with full effect lighting.

OPTICS:

Smooth opal polycarbonate diffuser, injection-molded, shock-resistant, and anti-aging.

FINISHING:

Matt White

BODY:

Round metal frame, seats for the electrical components and anchor points for the suspension device and diffusers.

VOLTAGE:

110-277V



LIGHTING:

LED

LED

LIGHTING EFFICIENCY:

≥ 60 lm/w

IP RATING:

20

IP20

APPLIANCE CLASS:

I



WWW.BULLARDCOLLECTION.COM

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

Contact Us:

sales@gordonbullard.com


www.cerchiolighting.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



LED



IP20



HOW TO ORDER:

CODE

Example:

C-15SL1-FE-S-D39-7-5-164W-80-30K-DL-AE-CS-RE

C-15SL1

1 LIGHT DISTRIBUTION:

-FE Full Effect



-FE

2 INSTALLATION TYPE:

-S Suspended

-S

3 CIRCLE DIAMETER:

-D39 39"

-D39

4 SIDE PROFILE HEIGHT:

-7-5 7.5"

-7-5

5 POWER:

-164W 164 Watts

-164W

6 LED CRI:

-80 CRI 80

-80

7 SPECIFY CCT AND LIGHT EMISSION:

-30K 3000K/7,480lm

-40K 4000K/8,040lm

8 DIMMING OPTION:

-STD Non-Dimmable

-DL DALI

9 FIXTURE FINISH:

-AE Matt White

-AE

PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:


CODE

Example:

C-15SL1-FE-S-D39-7-5-164W-80-30K-DL-AE-CS-RE

C-15SL1

10 CANOPY OPTIONS:



-CS
cable
straight




-NSR
nexus central
standard

11 ADDITIONAL FEATURES:

- RE Remote Emergency
- OS Occupancy Sensor
- DS Daylight Sensor / Light Harvesting

* E.G. : RE = Remote Emergency



LED



IP20



WWW.BULLARDCOLLECTION.COM

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

Contact Us:

sales@gordonbullard.com

www.cerchiolighting.com

1 877-964-4646