

BUBBLE 1000 TUNABLE WHITE

(STANDARD GRADE)

FULL EFFECT








PROJECT

SPEC TYPE

NOTES













GENERAL INFORMATION:

The BUBBLE 1000 TUNABLE WHITE seamlessly integrates lighting effects with its design, exhibiting a shape that adapts independently to the light beam direction and effortlessly blends into any setting, providing ample room for architectural creativity.

The Bubble 1000 TUNABLE WHITE has a size of 39 inches and tunable white LED system with color temperature range from 2700K to 6500K with full effect lighting.

OPTICS:

Smooth opal polycarbonate diffuser, injection-molded, shock-resistant, and anti-aging.

FINISHING:

Matt White

BODY:

Round metal frame, seats for the electrical components and anchor points for the suspension device and diffusers.

VOLTAGE:

110-277V



LED

LIGHTING:

LED



LIGHTING EFFICIENCY:

 \geq 60 lm/w

IP RATING:

20

IP20

APPLIANCE CLASS:



WWW.BULLARDCOLLECTION.COM





Contact Us:


sales@gordonbullard.com www.cerchiolighting.com 1 877-964-4646



PROJECT

SPEC TYPE

NOTES















CODE

C-15SW1

-FE

-S

- D39

- 7-5

- 164W

-80

-TW

-DL

-AE

Example: C-15SW1-FE-S-D39-7-5-164W-80-TW-DL-AE-CS-DDR

1 LIGHT DISTRIBUTION:

-FE Full Effect



2 INSTALLATION TYPE:

-S Suspended

3 CIRCLE DIAMETER:

-**D39** 39"

4 SIDE PROFILE HEIGHT:

-7-5 7.5"

5 POWER:

-164W 164 Watts

6 LED CRI:

-80 CRI 80

7 SPECIFY CCT AND LIGHT EMISSION:

-TW Tunable White: 2700K-6500K / 8,040 lm

8 DIMMING OPTION:

-DL DALI

9 FIXTURE FINISH:

-AE Matt White



WWW.BULLARDCOLLECTION.COM





Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

Contact Us:


sales@gordonbullard.com www.cerchiolighting.com 1 877-964-4646



PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

CODE

Example: C-15SW1-FE-S-D39-7-5-164W-80-TW-DL-AE-CS-DDR

C-15SW1

10 CANOPY OPTIONS:





-CS cable straight

nexus central standard

11 ADDITIONAL ACCESSORIES:

Dimming DALI Kit (Wireless receivers unit + -DDPH portable hand transmitter).

Dimming DALI Kit (Wireless receivers unit + -DPT portable table /wall transmitter with integrated light sensor).

-DDR Dimming DALI Kit (Remote Controller via pushbutton for multi luminaires installation).











WWW.BULLARDCOLLECTION.COM Contact Us: sales@gordonbullard.com



