



PROJECT

SPEC TYPE

NOTES

## GENERAL INFORMATION:

CAPO IN CHANDELIER - SPECIFICATION GRADE - Indirect Beam - offers the ultimate in complete customization while still maintaining a superior value proposition in the marketplace.

Every attribute from the canopy color, suspension hardware, electrical cable colors, housing finishes, LED optics, and lighting controls offers complete customization in both standard customization packages as well as complete customization of any size and any color.

## OPTICS:

Machined formed and welded satin PMMA diffuser integrated into optimized light chamber design for dot-less uniform lighting.

High transmissivity PMMA (>90%) to maximize light output. Available in 2700K, 3000K, 3500K, 4000K, RGB and RGBW as well as custom request color temperatures with smooth, dot free illumination.

## FINISHING:

A complete selection of powder coat finishes in addition to custom powder coat RAL, Faux-Wood finishes as well as one of the world's most complete selection of Galvanic Metal Finishes from Anthracite to 24 Karat Gold Finishes.

## HOUSING/BODY:

Patented aluminum extruded and welded 6061-T6 aluminum Dual Ring Design allowing for no visible fasteners from human eyes when installed.

This design allows for sleek and customizable side wall widths with multiple variations from 2.5" to 6" widths with unlimited custom widths.

This patented construction system allows flexible diameter sizes and flexible side wall widths.

## VOLTAGE:

110-277V



## LIGHTING:

LED



## IP RATING:

IP20

Profile Height: 2,5"

Profile Height: 4"

Profile Height: 6"



WWW.BULLARDCOLLECTION.COM

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS


Contact Us:

sales@gordonbullard.com

www.cerchiolighting.com

1 877-964-4646

PROJECT
SPEC TYPE
NOTES



## HOW TO ORDER:

CODE

Example:  
P78-D-D24-H3-W4-SS-80CR-27KD-30KID-ND-DE24-IDE24-LW-BW-TS-RE

P78

### 1 LIGHT DISTRIBUTION:

-I

-I INDIRECT



### 2 CIRCLE DIAMETER:

-D24	24"	-D56	56"	-D84	84"
-D36	36"	-D60	60"	-D96	96"
-D42	42"	-D72	72"	-D120	120"
-D48	48"	-D78	78"		

-CDR\*

Custom dimensions on request

### 3 SIDE PROFILE HEIGHT:

-H1-5	1.5"	-H3-5	3.5"
-H2	2"	-H4	4"
-H2-5	2.5"	-H5	5"
-H3	3"	-H6	6"

-CS\*

Custom dimensions on request

### 4 WIDTH OF PROFILE:

-W1-5	1.5"	-W3-5	3.5"
-W2	2"	-W4	4"
-W2-5	2.5"	-W5	5"
-W3	3"	-W6	6"

-CS\*

Custom dimensions on request

### 5 INSTALLATION AND CANOPY TYPE:



-SS  
separate  
standard

-SRD  
separate  
remote

-CSS  
central  
standard

-CSR  
central  
remote driver

-NSR  
nexus central  
remote driver

WWW.BULLARDCOLLECTION.COM

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

Contact Us:

sales@gordonbullard.com

www.cerchiolighting.com

1 877-964-4646



PROJECT

SPEC TYPE

NOTES

## HOW TO ORDER:

CODE

### 6 LED CRI:

-80CR CRI 80

-90CR CRI 90

### 7 SPECIFY CCT (INDIRECT):

-27KID 2700K -35KID 3500K

-30KID 3000K -40KID 4000K

-KID-RGB RGB -50KID 5000K

-NR Not-required

### 8 DIMMING OPTION:

-ND Non-Dimmable

-0-10 0-10V

-CS\* custom dimming on request

### 10 INDIRECT LIGHT EMISSION:

CODE | DIAMETER | LUMENS | WATTS:

-IDE24 24" 2,166 lm 26W

-IDE36 36" 3,250 lm 39W

-IDE42 42" 3,735 lm 45W

-IDE48 48" 4,333 lm 52W

-IDE56 56" 4,980 lm 60W

-IDE60 60" 5,416 lm 65W

-IDE72 72" 6,500 lm 78W

-IDE78 78" 6,889 lm 83W

-IDE84 84" 7,470 lm 90W

-IDE96 96" 8,666 lm 104W

-IDE120 120" 10,624 lm 128W

-NN none

-CS\* custom lumen packages on request

Profile Height: 2,5"

Profile Height: 4"

Profile Height: 4"



IP20

WWW.BULLARDCOLLECTION.COM

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

Contact Us:

sales@gordonbullard.com

www.cerchiolighting.com

1 877-964-4646



PROJECT

SPEC TYPE

NOTES

## HOW TO ORDER:

CODE

### 11 FIXTURE FINISH:

#### POWDER COAT FINISHES

-WH	White Powder Coated
-BK	Black Powder Coated
-BR	Bronze Powder Coated
-CRM	Chrome Powder Coated
-CS*	Custom RAL on request

\* E.G. : CS = RAL #3020

#### FAUX-WOOD PAINTED FINISHES

-W	Light wood
-BW	Brown wood
-DR	Dark wood

#### GALVANIC METAL FINISHES

-AL	Aluminum	-SC	Satin Copper
-AT	Anthracite	-CT	Corten
-NI	Nickel	-BSG	Brushed Satin Gold
-NS	Nickel Satin	-GL	Gold Leaf
-SL	Silver Leaf	-G24	Gold 24 Karat
-CL	Copper Leaf	-BL	Black
-OCL	Oxidated Copper Leaf	-BZ	Bronze

Profile Height: 2,5"

Profile Height: 4"

Profile Height: 4"



WWW.BULLARDCOLLECTION.COM

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

Contact Us:

sales@gordonbullard.com

www.cerchiolighting.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES

## HOW TO ORDER:

CODE

### 13 CANOPY FINISH:

#### POWDER COAT FINISHES

-WH	White Powder Coat
-BK	Black Powder Coat
-BR	Bronze Powder Coat
-CRM	Chrome Powder Coat
-CS*	Custom RAL on request

\* E.G. : CS = RAL #3020

#### FAUX-WOOD PAINTED FINISHES

-LW	Light wood
-BW	Brown wood
-DR	Dark wood

#### GALVANIC METAL FINISHES

-AL	Aluminum	-SC	Satin Copper
-AT	Anthracite	-CT	Corten
-NI	Nickel	-BSG	Brushed Satin Gold
-NS	Nickel Satin	-GL	Gold Leaf
-SL	Silver Leaf	-G24	Gold 24 Karat
-CL	Copper Leaf	-BL	Black
-OCL	Oxidated Copper Leaf	-BZ	Bronze

### 14 CORD FINISH:

-BL	Black
-WH	White
-TS	Transparent

### 15 OPTIONAL CONTROL FEATURES:

-RE	Remote Emergency
-OS	Occupancy Sensor
-DS	Daylight Sensor/Light Harvesting

Profile Height: 2,5"

Profile Height: 4"

Profile Height: 4"



WWW.BULLARDCOLLECTION.COM

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

Contact Us:


sales@gordonbullard.com

www.cerchiolighting.com


1 877-964-4646

## CHANDELIER CONFIGURATIONS:


CAPO IN circles may be ordered as separate circle pendants and/or in cluster configurations of two, three or five fixtures of various sizes, as well as custom clusters. (Consult factory for custom designs.)




C01.




C02.




C03.



C04.




C05.



C06.



C07.



C08.




C09.



C10.



C11.



C12.