




PROJECT
SPEC TYPE
NOTES



GENERAL INFORMATION:

CAPO IN VERTICAL - SPECIFICATION GRADE - Indirect Beam - offers the ultimate in complete customization while still maintaining a superior value proposition in the marketplace.

Every attribute from the canopy color, suspension hardware, electrical cable colors, housing finishes, LED optics, and lighting controls offers complete customization in both standard customization packages as well as complete customization of any size and any color.

OPTICS:

Machined formed and welded satin PMMA diffuser integrated into optimized light chamber design for dot-less uniform lighting.

High transmissivity PMMA (<90%) to maximize light output. Available in 2700K, 3000K, 3500K, 4000K, RGB and RGBW as well as custom request color temperatures with smooth, dot free illumination.

FINISHING:

A complete selection of powder coat finishes in addition to custom powder coat RAL, Faux-Wood finishes as well as one of the world's most complete selection of Galvanic Metal Finishes from Anthracite to 24 Karat Gold Finishes.

HOUSING/BODY:

Patented aluminum extruded and welded 6061-T6 aluminum Dual Ring Design allowing for no visible fasteners from human eyes when installed.

This design allows for sleek and customizable side wall widths with multiple variations from 2.5" to 6" widths with unlimited custom widths.

This patented construction system allows flexible diameter sizes and flexible side wall widths.

VOLTAGE:

110-277V



LIGHTING:


LED



IP RATING:

IP20

PROJECT
SPEC TYPE
NOTES



HOW TO ORDER:

CODE

Example:
P78-D-D24-H3-W4-SS-80CR-27KD-30KID-ND-DE24-IDE24-LW-BW-TS-RE

P63

1 LIGHT DISTRIBUTION:

-I INDIRECT



2 INSTALLATION TYPE:

-S Suspended

-S

3 CIRCLE DIAMETER:

-D12 12"

-D24 24"

-D36 36"

-D42 42"

-CDR*

Custom dimensions on request

4 SIDE PROFILE HEIGHT:

-H1-5 1.5" -H3 3"

-H2 2" -H3-5 3.5"

-H2-5 2.5"

-CS*

Custom dimensions on request

5 WIDTH OF PROFILE:

-W1-5 1.5"

-W2 2"

-W2-5 2.5"

-W3 3"

-CS*

Custom dimensions on request

PROJECT
SPEC TYPE
NOTES

HOW TO ORDER:

CODE

6

LED CRI:

- 80CR CRI 80
- 90CR CRI 90

7

SPECIFY CCT (INDIRECT):

- 27KID 2700K -35KID 3500K
- 30KID 3000K -40KID 4000K
- KID-RGB RGB
- NR Not-required

8

DIMMING OPTION:


- ND Non-Dimmable
- 0-10 0-10V
- CS* custom dimming on request

9

INDIRECT LIGHT EMISSION:

CODE | DIAMETER | LUMENS | WATTS:

- IDE12 12" 1,050 lm 13W
- IDE24 24" 2,166 lm 26W
- IDE36 36" 3,250 lm 39W
- IDE42 42" 3,735 lm 45W
- NN none
- CS* custom lumen packages on request



PROJECT
SPEC TYPE
NOTES

HOW TO ORDER:

CODE

10 FIXTURE FINISH:

POWDER COAT FINISHES

- WH White Powder Coated
- BK Black Powder Coated
- BR Bronze Powder Coated
- CRM Chrome Powder Coated
- CS* Custom RAL on request


E.G. :CS=RAL#3020

FAUX-WOOD PAINTED FINISHES

- W Light wood
- BW Brown wood
- DR Dark wood

GALVANIC METAL FINISHES

- | | |
|---|--|
|  -AL Aluminum |  -SC Satin Copper |
|  -AT Anthracite |  -BSG Brushed Satin Gold |
|  -NI Nickel |  -GL Gold Leaf |
|  -NS Nickel Satin |  -G24 Gold 24 Karat |
|  -SL Silver Leaf |  -BL Black |
|  -CL Copper Leaf |  -BZ Bronze |
|  -OCL Oxidated Copper Leaf |  -CT Corten |



PROJECT
SPEC TYPE
NOTES

HOW TO ORDER:

CODE

11 CANOPY FINISH:

POWDER COAT FINISHES

- WH White Powder Coat
- BK Black Powder Coat
- BR Bronze Powder Coat
- CRM Chrome Powder Coat
- CS* Custom RAL on request

FAUX-WOOD PAINTED FINISHES

- LW Light wood
- BW Brown wood
- DR Dark wood

GALVANIC METAL FINISHES

- | | |
|---|---|
|  -AL Aluminum |  -SC Satin Copper |
|  -AT Anthracite |  -CT Corten |
|  -NI Nickel |  -BSG Brushed Satin Gold |
|  -NS Nickel Satin |  -GL Gold Leaf |
|  -SL Silver Leaf |  -G24 Gold 24 Karat |
|  -CL Copper Leaf |  -BL Black |
|  -OCL Oxidated Copper Leaf |  -BZ Bronze |

12 CORD FINISH:

- BL Black
- WH White
- TS Transparent

13 OPTIONAL CONTROL FEATURES:

- RE Remote Emergency
- OS Occupancy Sensor
- DS Daylight Sensor/Light Harvesting

