



PROJECT

SPEC TYPE

NOTES



LED



IP20



GENERAL INFORMATION:

FRUIT 1 SURFACE MOUNTED SPECIAL FINISHES (STANDARD GRADE) offers a unparalleled value cost proposition in 4 standard sizes ranging from 16 to 60 inch diameters. Direct lighting from 3000K to 4000K . Offering two standard canopy and mounting options. Housing is full metal construction with both standard powder coating in black or white as well as special gold finish. Complete Collection offers optional Emergency Back up kits, Motion, Occupancy, and Light harvesting control interfaces.

OPTICS:

Opaline-finish Silicone

FINISHING:

Brushed metal finish

BODY:

Metal body construction

VOLTAGE:

110-277V



LIGHTING:

LED



LIGHTING EFFICIENCY:

$\geq 60\text{lm/w}$

IP RATING:

20



APPLIANCE CLASS:

I



WWW.BULLARDCOLLECTION.COM

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

Contact Us:

sales@gordonbullard.com

www.cerchiolighting.com

1 877-964-4646

PROJECT
SPEC TYPE
NOTES



HOW TO ORDER:

CODE

Example:

2129-1-D-S-D40-1-5-25W-80-27K-STD-10-CS-RE

2129-1

1 LIGHT DISTRIBUTION:

-D

-D DIRECT



2 INSTALLATION TYPE:

-S

-S Suspended

3 CIRCLE DIAMETER:

-D40	15.7"	-D90	35.5"
-D50	20"	-D12	47.2"
-D60	23.5"	-D150	59"
-D75	29.5"		

4 SIDE PROFILE HEIGHT:

-1-5

-1-5 1.5"

5 POWER AND LIGHT EMISSION:

CODE = WATTS | Ø

DIRECT LUMENS

-25W	15.7"	1,500 lumens
-32W	20"	1,500 lumens
-38W	23.5"	2,300 lumens
-49W	29.5"	2,950 lumens
-60W	35.5"	3,600 lumens
-79W	47.2"	4,750 lumens
-99W	59"	5,950 lumens

*E.G : 30W = 30 total Watts

6 LED CRI:

-80

-80 CRI 80

7 SPECIFY CCT:

-27K	2700K	-40K	4000K
-30K	3000K		

PROJECT

SPEC TYPE

NOTES



LED



IP20


























HOW TO ORDER:

CODE

8 DIMMING OPTION:

- STD Non-Dimmable
- DIM 1-10V


9 FIXTURE FINISH:

- | | | | | | |
|---|--|---|--|---|---|
| -10
White
 | -13
Silver Leaf
 | -14
Gold Leaf
 | -15
Grey
 | -35
6fcbnY DUJbYX
 | -31
Brushed Rosé
 |
| -24
Iron
 | -28
Gold
 | -29
Brushed Alum.
 | -30
Gunmetal
 | -34
Painted Rose
 | -32
Brush. Bronze
 |
| -19
Black
 | -21
Dove grey
 | -22
Copper leaf
 | -23
Rust
 | -33
Brush. Gold
 | |
| -19
Black
 | -24
Iron
 | -10
White
 | | | |
| -14
Gold Leaf
 | -13
Silver Leaf
 | -22
Copper leaf
 | | | |

10 CANOPY OPTIONS:



CS
cable
straight



CSS
central
standard

11 ADDITIONAL FEATURES:

- RE Remote Emergency
- OS Occupancy Sensor
- DS Daylight Sensor/Light Harvesting

* E.G. : RE = Remote Emergency

WWW.BULLARDCOLLECTION.COM

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

Contact Us:

sales@gordonbullard.com


www.cerchiolighting.com

1 877-964-4646


12

CHANDELIER CONFIGURATIONS:


FRUIT circles may be ordered as separate circle pendants and/or in cluster configurations of two, three or five fixtures of various sizes, as well as custom clusters. (Consult factory for custom designs.)




C01.




C02.




C03.




C04.




C05.



C06.



C07.



C08.




C09.



C10.



C11.



C12.