


BEAM UP AND DOWN



PROJECT	
SPEC TYPE	
NOTES	



GENERAL INFORMATION:

FRUIT 2 SPECIAL FINISHES offers a unparalleled value cost proposition in 4 standard sizes ranging from 16 to 60 inch diameters. Direct and indirect lighting from 2700K to 4000K . Offering two standard canopy and mounting options. Housing is full metal construction with both standard powder coating in black or white as well as special gold finish. Complete Collection offers optional Emergency Back up kits, Motion, Occupancy, and Light harvesting control interfaces.

OPTICS:

Opaline-finish Silicone

FINISHING:

Brushed metal finish

BODY:

Metal body construction

VOLTAGE:

110-277V



LIGHTING:

LED



LIGHTING EFFICIENCY:

≥ 60 lm/w

IP RATING:

20




APPLIANCE CLASS:

I



PROJECT	
SPEC TYPE	
NOTES	



HOW TO ORDER:

CODE

Example:
2129-2-DI-S-D40-1-5-50W-80-27K-STD-GM-CS-RE

2129-2

1 LIGHT DISTRIBUTION:

-DI

-DI DIRECT/INDIRECT



2 INSTALLATION TYPE:

-S

-S Suspended

3 CIRCLE DIAMETER:

-D40 15.7" -D90 35.5"

-D50 20" -D12 47.2"

-D60 23.5" -D150 59"

-D75 29.5"

4 SIDE PROFILE HEIGHT:

-1-5 1.5"

5 POWER AND LIGHT EMISSION:

CODE = WATTS | Ø

DIRECT LUMENS

-50W 15,7" 3,000 lumens

-64W 20" 3,800 lumens

-76W 23.5" 4,600 lumens

-98W 29.5" 5,900 lumens

-120W 35.5" 7,200 lumens

-158W 47.2" 9,500 lumens

-198W 59" 11,900 lumens

*E.G : 30W = 30 total Watts

6 LED CRI:


-80 CRI 80

7 SPECIFY CCT:

-27K 2700K -40K 4000K

-30K 3000K

PROJECT	
SPEC TYPE	
NOTES	



HOW TO ORDER:

CODE

8 DIMMING OPTION:

- STD Non-Dimmable
- DIM 1-10V

9 FIXTURE FINISH:

POWDER COAT FINISHES

	-WH	White Powder Coated
	-BL	Black Powder Coated
	-GR	Grey Powder Coated
	-BR	Bronze Powder Coated
	-G	Gold Powder Coated Custom
	-DG	Dove Grey
	-RS	Rose
	-CS*	RAL on request

* E.G.: CS = RAL #3020

SPECIAL METAL FINISHES

	-I	Iron		-GM	Gunmetal
	-RT	Rust		-BRR	Brushed Rosé
	-SL	Silver Leaf		-BRB	Brushed Bronze
	-GL	Gold Leaf		-BRG	Brushed Gold
	-CL	Copper Leaf		-BRA	Brushed Aluminum

TWO-TONE FINISHES

	-BL-GL	Black and Gold Leaf
	-I-SL	Iron and Silver Leaf
	-WH-CL	White and Copper Leaf

10 CANOPY OPTIONS:



CS
cable
straight

CSS
central
standard

11 ADDITIONAL FEATURES:


- RE Remote Emergency
- OS Occupancy Sensor
- DS Daylight Sensor/Light Harvesting

* E.G.: RE = Remote Emergency


12

CHANDELIER CONFIGURATIONS:


FRUIT circles may be ordered as separate circle pendants and/or in cluster configurations of two, three or five fixtures of various sizes, as well as custom clusters. (Consult factory for custom designs.)




C01.




C02.




C03.



C04.




C05.



C06.



C07.



C08.



C09.



C10.



C11.



C12.