

FRUIT 2 SINGLE FIXTURE (STANDARD GRADE)


BEAM UP & DOWN



PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

FRUIT 2 SINGLE FIXTURE - STANDARD GRADE offers a unparalleled value cost proposition in 7 standard sizes ranging from 23.6 to 196.9 inch diameters. Direct and indirect lighting from 2700K to 4000K . Offering two standard canopy and mounting options. Housing is full aluminum construction with both standard powder coating in black or white as well as custom RAL options. Complete Collection offers optional Emergency Back up kits, Motion, Occupancy, and Light harvesting control interfaces.

OPTICS:

PMMA lenses, Anti-UV Operation

FINISHING:

Matt White, Matt Black, custom on request

BODY:

Aluminum body construction.

VOLTAGE:

110-277V

LIGHTING:

LED



LIGHTING EFFICIENCY:

$\geq 85\text{lm/w.}$

IP RATING:

44

IP44

APPLIANCE CLASS:

I



WE WELCOME ALL CUSTOM ORDERS!

IES files upon Request

sales@gordonbullard.com

www.cerchiolighting.com

1 877-964-4646




991 South Gull Lake Dr

Richland, MI 49083,

USA

PROJECT
SPEC TYPE
NOTES



HOW TO ORDER:

CODE

Example:
NS-LL0115-DI-S-D24-80W-80-27K-DIM-SW-CS

1 LIGHT DISTRIBUTION:

-DI

-DI DIRECT/INDIRECT



2 INSTALLATION TYPE:

-S

-S Suspended

3 CIRCLE DIAMETER:

-D24	24"	-D79	79"	-D197	197"
-D36	36"	-D98	98"		
-D48	48"	-D119	119"		
-D60	60"	-D158	158"		

4 SIDE PROFILE HEIGHT:

-2-7

-2-7 2.7"

5 POWER AND LIGHT EMISSION:

CODE = TOTAL WATTS Ø		DIRECT LUMENS WATTS	INDIRECT LUMENS WATTS
-65W	23.6"	3,400 lm/40W	2,125 lm/25W
-80W	35.4"	4,760 lm/56W	2,040 lm/24W
-120W	47.2"	7,140 lm/84W	3,060 lm/36W
-135W	59.1"	7,650 lm/90W	3,825 lm/45W
-150W	78.8"	8,925 lm/105W	3,825 lm/45W
-200W	98.4"	12,750 lm/150W	4,250 lm/50W
-300W	118.1"	17,850 lm/210W	7,650 lm/90W
-400W	157.5"	25,500 lm/300W	8,500 lm/100W
-480W	196.9"	28,560 lm/336W	12,240 lm/144W

*E.G : 65W = 65 total Watts

6 LED CRI:

-80 CRI 80
-90 CRI 90

7 SPECIFY CCT:

-27K	2700K	-35K	3500K
-30K	3000K	-40K	4000K

WE WELCOME ALL CUSTOM ORDERS!

IES files upon Request

sales@gordonbullard.com

www.cerchiolighting.com

1 877-964-4646



991 South Gull Lake Dr


Richland, MI 49083,

USA

PROJECT

SPEC TYPE

NOTES



LED



IP44



HOW TO ORDER:

CODE

8 DIMMING OPTION:

- STD Non-Dimmable
- DIM -10V

9 FIXTURE FINISH:


- SW Matt White
- SB Matt Black
- RAL Custom RAL on request*

* E.G. : RAL = #3020

10 CANOPY OPTIONS:



CS
cable
straight



CSS
central
standard

11 ADDITIONAL FEATURES:

- RE Remote Emergency
- OS Occupancy Sensor
- DS Daylight Sensor/Light Harvesting

* E.G. : RE = Remote Emergency

WE WELCOME ALL CUSTOM ORDERS!

IES files upon Request

sales@gordonbullard.com

www.cerchiolighting.com

1 877-964-4646



991 South Gull Lake Dr

Richland, MI 49083,

USA