

FRUIT 1 MAMBO JUMBO CHANDELIER (STANDARD GRADE)


BEAM DOWN



PROJECT

SPEC TYPE

NOTES



LED



IP44



GENERAL INFORMATION:

FRUIT 1 MAMBO JUMBO CHANDELIER - STANDARD GRADE provides an unmatched value cost proposition in 6 standard sizes, ranging from 16 to 60 inches in diameter. It features direct lighting with color temperature options ranging from 3000K to 5000K. The fixture comes with two standard canopy and mounting options. The housing is constructed with full aluminum, offering standard powder coating in black or white, along with customizable RAL options. The comprehensive collection also includes optional Emergency Backup kits, Motion, Occupancy, and Light Harvesting control interfaces.

OPTICS:

PMMA lenses, Anti-UV Operation

FINISHING:

Matt White, Matt Black, custom on request

BODY:

Aluminum body construction

VOLTAGE:

110-277V



LIGHTING:

LED

LED

LIGHTING EFFICIENCY:

≥ 70 lm/w

IP RATING:

44

IP44

APPLIANCE CLASS:

I



WWW.BULLARDCOLLECTION.COM

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS


Contact Us:

sales@gordonbullard.com

www.cerchiolighting.com

1 877-964-4646

PROJECT
SPEC TYPE
NOTES



HOW TO ORDER:

CODE

Example:
NS-LL0203-D-S-D24-2-8-25W-80-27K-DIM-SW-CS

NS-LL0203

1 LIGHT DISTRIBUTION:

-D

-D DIRECT



2 INSTALLATION TYPE:

-S

-S Suspended

3 CIRCLE DIAMETER:

-D16	16"	-D48	48"
-D24	24"	-D60	60"
-D32	32"		
-D40	40"		

4 SIDE PROFILE HEIGHT:

-2-8

-2-8 2.8"

5 POWER AND LIGHT EMISSION:

CODE = WATTS | Ø

DIRECT LUMENS

-15W	16"	1,050 lm
-25W	24"	1,750 lm
-35W	32"	2,450 lm
-45W	40"	3,150 lm
-50W	48"	3,500 lm
-60W	60"	4,200 lm

*E.G : 45W = 45 total Watts

6 LED CRI:

-80 CRI 80
-90 CRI 90


7 SPECIFY CCT:

-27K	2700K	-35K	3500K
-30K	3000K	-40K	4000K

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

CODE

8 DIMMING OPTION:

- STD Non-Dimmable
- DIM 1-10V

9 FIXTURE FINISH:


- SW Matt White
- SB Matt Black
- RAL Custom RAL on request*

* E.G. : RAL = #3020

10 CANOPY OPTIONS:



CS
cable
straight



CSS
central
standard

11 ADDITIONAL FEATURES:

- RE Remote Emergency
- OS Occupancy Sensor
- DS Daylight Sensor/Light Harvesting

* E.G. : RE = Remote Emergency

WWW.BULLARDCOLLECTION.COM

OUTDOOR
TECHNICAL
DECORATIVE




WE WELCOME ALL CUSTOM ORDERS

Contact Us:


sales@gordonbullard.com
www.cerchiolighting.com
1 877-964-4646

12 CHANDELIER CONFIGURATIONS:


FRUIT circles may be ordered as separate circle pendants and/or in cluster configurations of two, three or five fixtures of various sizes, as well as custom clusters. (Consult factory for custom designs.)




C01.




C02.




C03.




C04.




C05.



C06.



C07.



C08.




C09.



C10.



C11.



C12.