



PROJECT
SPEC TYPE
NOTES



GENERAL INFORMATION:

HALO CHANDELIER is a luminous hanging ring with LED lighting and available in 5 standard sizes: 19.29", 25.20", 29.92", 39.37", 47.24". 360° lighting - 2700K, 3000K .

Experience the Halo, a minimalist structured pendant light designed to showcase the unique details of each piece.

With height-adjustable suspension cables and dimmable features, this luminaire not only delivers quality light but also offers a stunning decorative effect.

Illuminate your space with the Halo’s modern elegance.

FINISHING:

Gelsa finish

VOLTAGE:

110-277V



IP RATING:

20



APPLIANCE CLASS

I

PROJECT
SPEC TYPE
NOTES

## HOW TO ORDER:

CODE

Example:  
CODE: UA-20-8920-0-10-D25-30K-MW-C01

UA-20-8920

### 1 DIMMING OPTION:

-0-10

-0-10 0-10V

### 2 CIRCLE DIAMETER:

-D19 19.29" (49cm)  
-D25 25.20" (64cm)  
-D29 29.92" (76cm)  
-D39 39.37" (100cm)  
-D47 47.24" (120cm)

### 3 SPECIFY CCT:

-30K

-27K 2700K  
-30K 3000K

### 4 FINISH:

-MB Matt Black (RAL 9005)  
-MW Matt White  
-CUS Custom colours on request\*



IP20



WWW.BULLARDCOLLECTION.COM

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

Contact Us:

sales@gordonbullard.com


www.cerchiolighting.com

1 877-964-4646

12

## CHANDELIER CONFIGURATIONS:

HALO SINGLE FIXTURES circles may be ordered as separate circle pendants and/or in cluster configurations of two, three or five fixtures of various sizes, as well as custom clusters. (Consult factory for custom designs)




**C01.**

**DIMENSIONS:**

Diameter of circles:

Ø47.24"

Ø39.37"




**C02.**

**DIMENSIONS:**

Diameter of circles:

Ø25.20"

Ø19.29"



**C03.**


**DIMENSIONS:**

Diameter of circles -

Ø47.24"

Ø39.37"

Ø29.92"



**C04.**

**DIMENSIONS:**

Diameter of circles:


Ø47.24" (120cm)

Ø39.37"

Ø29.92"

Ø25.20"

Ø19.29"



**C05.**


**DIMENSIONS:**

Diameter of circles:

Ø39.37"

Ø29.92"

Ø25.20"



**C06.**

**DIMENSIONS:**

Diameter of circles:

Ø19.29"

Ø25.20"

Ø29.92"

Ø39.37"

Ø47.24"