



PROJECT

SPEC TYPE

NOTES

GENERAL INFORMATION:

MAGNETIC FULL CIRCLE TRACK SYSTEM is a minimalistic track lighting solution that connects and powers it's LED heads via a magnetic core. The design of the 24-volt system not only ensures a reliable and safe connection between each fixture to the track, it allows for ease in the relocation of each-at any time. BYIBA CIRCLE magnetic track is available in custom RAL colors, wood painted finishes, gold and bronze finishes as well as the original black and white options.

FINISHING:

Matt White, Matt Black, Gold, Glossy Bronze, Custom RAL on request

BODY:

Metal body construction

VOLTAGE:

110-277V

LIGHTING:

LED

LED


IP RATING:

20

IP20

APPLIANCE CLASS:

III



LED



IP20



WWW.BULLARDCOLLECTION.COM

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

Contact Us:

sales@gordonbullard.com

www.cerchiolighting.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:

CODE

Example:

CR-1103-D-S-D100-H3-W1-80-40K-DL-GB-CS-DOT-3-D9-GLOBAL-D9

1 LIGHT DISTRIBUTION:

-D

-D DIRECT



2 INSTALLATION TYPE:

-S Suspended

-R Recessed

-SM Surface Mounted

3 CIRCLE DIAMETER:

-D23 23"

-D70 70"

-D35 35"

-D80 80"

-D47 47"

-D100 100"

-D60 60"

4 SIDE PROFILE HEIGHT:

-3

-H3 3"

5 SIDE PROFILE WIDTH:

-W1 1"

-W1-6 1.6"

6 LED CRI:

-80 CRI 80

-90 CRI 90

7 SPECIFY CCT:

-27K 2700K

-30K 3000K

-40K 4000K

-50K 5000K

8 DIMMING OPTION:

-NON Non-Dimmable

-DIM 0-10V

-DL DALI

-TR Triac



LED



IP20



WWW.BULLARDCOLLECTION.COM

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

Contact Us:

sales@gordonbullard.com

www.cerchiolighting.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:

CODE

9 FIXTURE FINISH:

- BL Black RAL9005
- WH White RAL9003
- GL Gold
- GB Glossy Bronze
- MB Matt Bronze
- CUS Custom RAL on request

10 CANOPY OPTIONS:

-CS



CS
cable
straight

10 TECHICAL HEADS:



DOT-3-D9

- Dimension - L: 3.3" x H: 1.3" x W: 2.2"
- Power - 4W
- Lumens - 280 lm
- Optical type - Symmetric
- Lighting distribution - Spot
- Beam angle(°) : -12, -34, -48



DOT-06-D9

- Dimension - H: 2.15" x L: 6.4" x W: 2.2"
- Power - 8W
- Lumens - 511 lm
- Optical type - Symmetric
- Lighting distribution - Spot
- Beam angle(°) : -12, -34, -48



LINEAR-16-D9

- Dimension - L: 6.5" x H: 2.2" x W: 1.3"
- Power - 7W
- Lumens - 262 lm
- Optical type - Diffuse
- Lighting distribution - Symmetric



LED



IP20



PROJECT

SPEC TYPE

NOTES



GLOBAL-D9

Dimension - Ø: 5.90"
Power - 5W
Lumens - 278 lm
Optical type - Diffuse
Lighting distribution - Symmetric



SPOT-35-T-D9

Dimension - Ø: 1.4" x H: 3.1"
Power - 2 x 5W
Lumens - 700 lm
Optical type - Spot
Lighting distribution - Symmetric
Beam angle(°) : -20
-30
-40
-60



SPOT-50-D-9

Dimension - Ø: 2" x" x H: 5.5"
Power - 10W
Lumens - 700 lm
Optical type - Spot
Lighting distribution - Symmetric
Beam angle(°) : -18
-24
-36



SPOT-65-R-D9

Dimension - Ø: 2.5" x H: 5.9"
Power - 8W
Lumens - 276 lm
Optical type - Spot
Lighting distribution - Symmetric
Beam angle(°) : -20
-30
-40



SPOT-65-R-D9

Dimension - Ø: 3.6" x H: 7"
Power - 15W
Lumens - 625 lm
Optical type - Spot
Lighting distribution - Symmetric
Beam angle(°) : -20
-30
-40



LED



IP20



PROJECT

SPEC TYPE

NOTES



SPOT-35-D-9

Dimension - Ø: 1.4" x H: 3.15"
Power - 5W
Lumens - 378 lm
Optical type - Spot
Beam angle(°) : Symmetric
-20
-30
-40
-60



PENDANT-35-R-D9

Dimension - Ø: 0.2" x H: 10"
Power - 5W
Lumens - 378 lm
Optical type - Spot
Lighting distribution - Symmetric
Beam angle(°) : -18
-24
-36



PENDANT-50-R-D9

Dimension - Ø: 2" x H: 10"
Power - 10W
Lumens - 692 lm
Optical type - Spot
Lighting distribution - Symmetric
Beam angle(°) : -18
-24
-36

11 DECORATIVE HEADS:



MG-1

Dimension - Ø: 4"
Light Source - G4 / 1.5W
Color - White with blue patterns



MG-2

Dimension - Ø: 4"
Light Source - G4 / 1.5W
Color - White with gold patterns



PROJECT

SPEC TYPE

NOTES



Dimension -
Light Source -
Color -

Ø: 4"
G4 / 1.5W
White with pink patterns

MG-3



Dimension -
Light Source -
Color -

Ø: 4"
G4 / 1.5W
Transparent

MG-4



Dimension -
Light Source -
Color -

Ø: 4"
G4 / 1.5W
Transparent

MG-5



Dimension -
Light Source -
Color -

Ø: 4"
G4 / 1.5W
Milky

MG-6



Dimension -
Light Source -
Color -

Ø: 4"
G4 / 1.5W
Smoked

MG-7



Dimension -
Light Source -
Color -


Ø: 4"
G4 / 1.5W
Transparent

MG-8

PROJECT

SPEC TYPE

NOTES



LED



IP20



Dimension -
Light Source -
Color -

H: 4"
G4 / 1.5W
Cappuccino

MG-9



Dimension -
Light Source -
Color -

H: 4"
G4 / 1.5W
Light blue

MG-10



Dimension -
Light Source -
Color -

Ø: 3.5"
G4 / 1.5W
Amber

MG-11



Dimension -
Light Source -
Color -

Ø: 3.5"
G4 / 1.5W
Emerald green

MG-12



Dimension -
Light Source -
Color -

Ø: 3.5"
G4 / 1.5W
Cherry red

MG-13



Dimension -
Light Source -
Color -

Ø: 3.5"
G4 / 1.5W
Black

MG-14

PROJECT
SPEC TYPE
NOTES



Dimension -
Light Source -
Color -

Ø: 12"
G9 / 3.8W
White marble venings

MG-15



Dimension -
Light Source -
Color -

Ø: 12"
G9 / 3.8W
Red marble venings

MG-16