



BEAM DOWN






PROJECT

SPEC TYPE

NOTES











GENERAL INFORMATION:

OLYMPIA integrates Italian crystal craftsmanship with advanced design. With a 3000K CCT, it achieves optimal color rendering and aluminous flux range of 1274 to 8918 lumens. Available wattage from 13 x 13W for an ideal balance of brightness and energy efficiency. OLYMPIA is equippedwith an integrated LED system, ensuring a technically precise lighting solution for a personalized experience.

FINISHING:

Galvanic metal finishes

BODY:

Crystals and metal

VOLTAGE:

110-277V



LIGHTING:

LED



LIGHTING EFFICIENCY:

16,688 lm

IP RATING:

20

IP20

APPLIANCE CLASS:








Contact Us:



PROJECT

SPEC TYPE

NOTES



ORDERING SPECIFICATION

CODE

Example: \$7-V-055-043-0

DIMENSION:

057-042-

S7-V-055-043-0

DIMENSIONS:

Ø = Diameter

A) Total Length - L: 39,37" (100 cm)
B) Canopy Dimension - Ø: 59" (150 cm)
C) Total Height - H: 78.74" (200 cm)

D) Diameter of Circle Ring - Ø: 31.5" (80 cm) - H: 3.15" (8 cm)

LIGHT SOURCE:

LED - $13 \times 13 \text{W} / 16,668 \text{ lumens} / \text{Total Watts: } 169 \text{W} / 3000 \text{ Kelvins}$

BODY FINISH OPTIONS:

.00 Gold 24K.03 Shiny nickel

*E.G:.00 = Gold 24K

2 CRYSTAL FINISH OPTIONS:

.C

.C Clear crystal

*E.G:.C=Clear crystal









WWW.BULLARDCOLLECTION.COM





Contact Us: