

BEAM UP AND DOWN










PROJECT

SPEC TYPE

NOTES













GENERAL INFORMATION:

The PHOENIX LED light source is very efficient and completely hidden in the structure. Direct lighting defines the area of light below, enhancing the natural beauty of the smoky, amber and crystal tones embellished with black nickel and copper finishes.

FINISHING (GLASS):

CR/TR, FU/TR

FINISHING (BODY):

Black nickel, copper

BODY:

Metal, murano glass

VOLTAGE:

110-277V



LIGHTING:

LED



IP RATING:

20

IP20

APPLIANCE CLASS:

- 1




WWW.BULLARDCOLLECTION.COM





Contact Us:

sales@gordonbullard.com www.cerchiolighting.com 1 877-964-4646





PROJECT SPEC TYPE **NOTES**

C max H: 79" Α ø 18"











HOW TO ORDER

CODE

SP-27K-CR/TR-NNS

SP-CR/TR-NNS

DIMENSIONS:

SP

DIMENSIONS:

Ø = Diameter

A) Diameter of circle ring -Ø: 18" (45 cm) B) Height -H: 4" (10 cm)

C) Total Height tot H: 200" (79 cm)

LIGHTSOURCE:

LED 1x35 W /35W / 3800 lumens

2 CCT:

27K - 2700K

30K - 3000K

GLASS FINISH OPTIONS:

CR/TR

FU/TR

BODY FINISH OPTIONS:

NNS

RAV

WWW.BULLARDCOLLECTION.COM





Contact Us:

sales@gordonbullard.com www.cerchiolighting.com