




APOLLO 2 HORIZONTAL

(SPECIFICATION GRADE)

360 BEAM



PROJECT	
SPEC TYPE	
NOTES	



GENERAL INFORMATION:

Apollo Horizontal: a sleek outdoor lighting solution crafted from durable PMMA material. Featuring a powerful white LED light engine with options for 3000K, 3500K, or 4000K CCT, it offers versatile illumination for any outdoor setting. Operating on 110-277V and compatible with 0-10V dimming, Apollo Horizontal combines functionality with style to enhance outdoor spaces effortlessly.

FINISHING ENDCUPS:

Clear Anodised, Black Anodised, Bronze, Chrome Plated, White Powder Coated, Black Powder Coated

BODY:

PMMA

VOLTAGE:

110-277V



LIGHTING:

LED



IP RATING:

20



EFFICIENCY:

Up to 83 lm/W delivered


LED CRI:

90

TYPE OF CANOPY:

5" Round canopy

PROJECT
SPEC TYPE
NOTES



HOW TO ORDER:

CODE

Example:
CODE: AP-2-H-L12-CL10-DT2-AT1-30K-ND-AN-AB-HAP15

AP-2-H-L12-CL10-
DT2-AT1-30K-ND-
AN-AB-HAP15

1 LENGTH OF THE FIXTURE:

-L12	12"	-L60	60"
-L24	24"	-L72	72"
-L36	36"	-CDR*	
-L48	48"	Custom dimensions on request	

3 CORD LENGTH:

-CL10	10"
-CL25	15"
-CL20	20"
-CL25	25"
-CL30	30"

4 DIAMETER OF THE FIXTURE TUBE:

-DT1-5	1.5"
-DT2	2"


5 AMOUNT OF TUBE ON THE CANOPY:

-AT1	1
-AT2	2
-AT3	3
-AT7	7
-AT15	15
-AT27	27

6 SPECIFY CCT

-30K	3000K
-35K	3500K
-40K	4000K

PROJECT	
SPEC TYPE	
NOTES	



HOW TO ORDER:

CODE

Example:

CODE: AP-2-H-L12-CL10-DT2-AT1-30K-ND-AN-AB-HAP15

AP-2-H-L12-CL10-
DT2-AT1-30K-ND-
AN-AB-HAP15

7 | DIMMING OPTION:

- ND Non-Dimmable
- 0-10 0-10V
- CS* custom dimming on request

7 | ENDCUP FINISH OPTIONS:

	-AN Clear Anodised
	-AB Black Anodised
	-BZ Bronze
	-CR Chrome Plated
	-WH White Powder Coated
	-BK Black Powder Coated
	-NN Without endcup
	-CUS *Custom on request


8 | CANOPY FINISH OPTIONS:

	-AN Clear Anodised
	-AB Black Anodised
	-BZ Bronze
	-CR Chrome Plated
	-WH White Powder Coated
	-BK Black Powder Coated
	-CUS *Custom on request


9

CHANDELIER CONFIGURATIONS:


Appollo may be ordered as separate circle pendants and/or in cluster configurations of two, three or five fixtures of various sizes, as well as custom clusters. (Consult factory for custom designs.)




HAP3




HAP5




HAP8



HAP10



HAP12



HAP15