

## DONUT SUSPENDED

(STANDARD GRADE)

BEAM DOWN







**PROJECT** SPEC TYPE **NOTES** 



## **GENERAL INFORMATION:**

DONUT is a collection of suspension and surface-mount lights with acoustic features available on request. We offer 35 acoustic shade color options and a LED system. Available in standard light, acoustic w/light or acoustic only (no light). CCT: 3000K, 3500K, 4000K with a great color consistency (within 3-step MacAdam ellipse). The DONUT is available in three sizes: 23.6", 35.4", 47.2"

## **BODY**: Aluminium construction **VOLTAGE:** 110-277V LIGHTING: LED IP RATING: 20 **IP20** LIGHTING EFFICIENCY: 85 lm/W LED CRI: ≧90



DECORATIVE







WWW.BULLARDCOLLECTION.COM OUTDOOR TECHNICAL



Contact Us:

sales@gordonbullard.com www.cerchiolighting.com 1 877-964-4646



**PROJECT** 

SPEC TYPE

**NOTES** 



**HOW TO ORDER:** 

CODE

Example:

NS-LL0118-D-S-D23-40W-30K-DIM-SW

NS-LL0118

LIGHT DISTRIBUTION:

-D

DIRECT -D



**INSTALLATION TYPE:** 

-S Suspended

CIRCLE DIAMETER:

-D23 23.6" (60 cm)

35.4" (90 cm) -D35

-D47 47.2" (120 cm)

POWER AND LIGHT EMISSION:

CODE = WATTS | Ø

DIRECT LUMENS:

-40W 23.6" (60 cm) 3,400 lm

-90W 35.4" (90 cm) 7,650 lm

47.2" (120 cm) -180W 15,300 lm

\*E.G: 40W = 40 total Watts

6 SPECIFY CCT:

3000K -30K

-35K 3500K

-40K 4000K

**DIMMING OPTION:** 

-DIM 1-10V

-STD Non-Dimmable

8 BODY FINISH OPTIONS:

-SW Matt White

-SB Matt Black

-RAL Custom RAL on request

\* E.G. : RAL = #3020

WWW.BULLARDCOLLECTION.COM





Contact Us:

sales@gordonbullard.com www.cerchiolighting.com