




PROJECT

SPECTYPE

NOTES



GENERAL INFORMATION:

The Flat series by Cerchio Lighting features a sleek and minimalist collection of ceiling and wall lamps designed to enhance modern interiors. Crafted from high-quality materials, these fixtures are available in various finishes to complement diverse décor styles. The series is compatible with different light sources, offering flexibility in illumination while ensuring durability and longevity. Ideal for contemporary spaces, the Flat series provides both functional and aesthetic lighting solutions.

MATERIAL:

Metal

DIFFUSER:

Opaline finish methacrylate

VOLTAGE:

110-277V



LIGHTING:

LED

LED

IP RATING:

20

IP20

CRI

80

APPLIANCE CLASS:

I



FINISHING:

White		Black / Gold Leaf	
Silver Leaf		Iron / Silver Leaf	
Gold Leaf		White / Copper Leaf	
Copper leaf			
Rust			
Iron			
Gold			
Painted Rosè			
Bronze Painted			
Black			

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.cerchiolighting.com

1-877-964-4646

PROJECT

SPECTYPE

NOTES

HOW TO ORDER:

CODE:

Example:

CODE: CH-FLT-SH-50-1-K30-DIM-WH

CH-FLT-SH-

50-1-K30-DIM-WH

1

MODELS:

S-50-1 (single emission)

A) Length -	L:	21.65" (55 cm)
B) Width -	W:	21.65" (55 cm)
C) Height -	H:	1.38" (3.5 cm)
D) Cable -	H:	78.74" (200 cm)

LIGHT SOURCE:



LED / 36W / 2,300 lm / 110-277V

S-50-2 (double emission)

A) Length -	L:	21.65" (55 cm)
B) Width -	W:	21.65" (55 cm)
C) Height -	H:	1.38" (3.5 cm)
D) Cable -	H:	78.74" (200 cm)

LIGHT SOURCE:

LED / 52W / 2,300 lm (down) , 1,000 lm (up) / 110-277V



OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.cerchiolighting.com

1-877-964-4646

PROJECT

SPECTYPE

NOTES

HOW TO ORDER:

CODE:

Example:



CODE: CH-FLT-SH-50-1-K30-DIM-WH

CH-FLT-SH-

50-1-K30-DIM-WH

1

MODELS:



S-75-1 (single emission)

A) Length -	L:	29.53" (75 cm)
B) Width -	W:	29.53" (75 cm)
C) Height -	H:	1.38" (3.5 cm)
D) Cable -	H:	78.74" (200 cm)

LIGHT SOURCE:

LED / 51W / 3,200 lm / 110-277V

S-75-2 (double emission)

A) Length -	L:	29.53" (75 cm)
B) Width -	W:	29.53" (75 cm)
C) Height -	H:	1.38" (3.5 cm)
D) Cable -	H:	78.74" (200 cm)

LIGHT SOURCE:

LED / 76W / 3,200 lm (down) , 1,600 lm (up) / 110-277V

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.cerchiolighting.com

1-877-964-4646

PROJECT

SPECTYPE

NOTES

HOW TO ORDER:

CODE:

Example:

CODE: CH-FLT-SH-50-1-K30-DIM-WH

CH-FLT-SH-

50-1-K30-DIM-WH

1

MODELS:

S-90-1 (single emission)

A) Length -	L:	35.43" (90 cm)
B) Width -	W:	35.43" (90 cm)
C) Height -	H:	1.38" (3.5 cm)
D) Cable -	H:	78.74" (200 cm)

LIGHT SOURCE:



LED / 62W / 3,900 lm / 110-277V

S-90-2 (double emission)

A) Length -	L:	35.43" (90 cm)
B) Width -	W:	35.43" (90 cm)
C) Height -	H:	1.38" (3.5 cm)
D) Cable -	H:	78.74" (200 cm)

LIGHT SOURCE:

LED / 89W / 3,900 lm (down) , 1,700 lm (up) / 110-277V



OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.cerchiolighting.com

1-877-964-4646

PROJECT

SPECTYPE

NOTES

HOW TO ORDER:

CODE:

Example:

CODE: CH-FLT-SH-50-1-K30-DIM-WH

CH-FLT-SH-

50-1-K30-DIM-WH

1

MODELS:

S-120-1 (single emission)

- | | | |
|-------------|----|-----------------|
| A) Length - | L: | 47.24" (120 cm) |
| B) Width - | W: | 47.24" (120 cm) |
| C) Height - | H: | 1.38" (3.5 cm) |
| D) Cable - | H: | 78.74" (200 cm) |

LIGHT SOURCE:



LED / 82W / 5,200 lm / 110-277V

S-120-2 (double emission)

- | | | |
|-------------|----|-----------------|
| A) Length - | L: | 47.24" (120 cm) |
| B) Width - | W: | 47.24" (120 cm) |
| C) Height - | H: | 1.38" (3.5 cm) |
| D) Cable - | H: | 78.74" (200 cm) |

LIGHT SOURCE:

LED / 123W / 5,200 lm (down) , 2,600 lm (up) / 110-277V



OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.cerchiolighting.com

1-877-964-4646

PROJECT

SPECTYPE

NOTES

HOW TO ORDER:

CODE:

Example:


CODE: CH-FLT-SH-50-1-K30-DIM-WH

CH-FLT-SH-

50-1-K30-DIM-WH

1

MODELS:




S-79-1 (single emission)

A) Length -	L:	31.1" (79 cm)
B) Width -	W:	15.35" (39 cm)
C) Height -	H:	1.38" (3.5 cm)
D) Cable -	H:	78.74" (200 cm)

LIGHT SOURCE:

LED / 51W / 3,200 lm / 110-277V



S-79-2 (double emission)

A) Length -	L:	31.1" (79 cm)
B) Width -	W:	15.35" (39 cm)
C) Height -	H:	1.38" (3.5 cm)
D) Cable -	H:	78.74" (200 cm)

LIGHT SOURCE:

LED / 76W / 3,200 lm (down) , 1,600 lm (up) / 110-277V

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.cerchiolighting.com

1-877-964-4646

PROJECT

SPECTYPE

NOTES

HOW TO ORDER:

CODE:

Example:


CODE: CH-FLT-SH-50-1-K30-DIM-WH

CH-FLT-SH-

50-1-K30-DIM-WH

1

MODELS:




S-79-1 (single emission)

A) Length -	L:	31.1" (79 cm)
B) Width -	W:	15.35" (39 cm)
C) Height -	H:	1.38" (3.5 cm)
D) Cable -	H:	78.74" (200 cm)

LIGHT SOURCE:

LED / 38W / 2,400 lm / 110-277V



S-79-2 (double emission)

A) Length -	L:	31.1" (79 cm)
B) Width -	W:	15.35" (39 cm)
C) Height -	H:	1.38" (3.5 cm)
D) Cable -	H:	78.74" (200 cm)

LIGHT SOURCE:

LED / 65W / 2,400 lm (down) , 1,700 lm (up) / 110-277V

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.cerchiolighting.com

1-877-964-4646

PROJECT

SPECTYPE

NOTES

HOW TO ORDER:

CODE:

Example:

CODE: CH-FLT-SH-50-1-K30-DIM-WH

CH-FLT-SH-

50-1-K30-DIM-WH

1

MODELS:

S-109-1 (single emission)

- | | | |
|-------------|----|-----------------|
| A) Length - | L: | 42.9" (109 cm) |
| B) Width - | W: | 21.26" (54 cm) |
| C) Height - | H: | 1.38" (3.5 cm) |
| D) Cable - | H: | 78.74" (200 cm) |

LIGHT SOURCE:



LED / 55W / 3,450 lm / 110-277V

S-109-2 (double emission)

- | | | |
|-------------|----|-----------------|
| A) Length - | L: | 42.9" (109 cm) |
| B) Width - | W: | 21.26" (54 cm) |
| C) Height - | H: | 1.38" (3.5 cm) |
| D) Cable - | H: | 78.74" (200 cm) |

LIGHT SOURCE:

LED / 91W / 3,450 lm (down) , 2,250 lm (up) / 110-277V



OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.cerchiolighting.com

1-877-964-4646

PROJECT

SPECTYPE

NOTES

HOW TO ORDER:

CODE:

Example:

CODE: CH-FLT-SH-50-1-K30-DIM-WH

CH-FLT-SH-

50-1-K30-DIM-WH

1

MODELS:

S-129-1 (single emission)

A) Length -	L:	50.79" (129 cm)
B) Width -	W:	25.20" (64 cm)
C) Height -	H:	1.38" (3.5 cm)
D) Cable -	H:	78.74" (200 cm)

LIGHT SOURCE:



LED / 65W / 4,150 lm / 110-277V

S-129-2 (double emission)

A) Length -	L:	50.79" (129 cm)
B) Width -	W:	25.20" (64 cm)
C) Height -	H:	1.38" (3.5 cm)
D) Cable -	H:	78.74" (200 cm)

LIGHT SOURCE:

LED / 108W / 4,150 lm (down) , 2,700 lm (up) / 110-277V



OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.cerchiolighting.com

1-877-964-4646

PROJECT

SPECTYPE

NOTES

HOW TO ORDER:

CODE:

Example:

CODE: CH-FLT-SH-50-1-K30-DIM-WH

CH-FLT-SH-

50-1-K30-DIM-WH

1

MODELS:

S-140-1 (single emission)

A) Length -	L:	55.12" (140 cm)
B) Width -	W:	6.50" (16.5 cm)
C) Height -	H:	1.38" (3.5 cm)
D) Cable -	H:	70.87" (180 cm)

LIGHT SOURCE:



LED / 53W / 3,400 lm / 110-277V

S-140-2 (double emission)

A) Length -	L:	55.12" (140 cm)
B) Width -	W:	6.50" (16.5 cm)
C) Height -	H:	1.38" (3.5 cm)
D) Cable -	H:	70.87" (180 cm)

LIGHT SOURCE:

LED / 98W / 3,400 lm (down) , 2,800 lm (up) / 110-277V



OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.cerchiolighting.com

1-877-964-4646

PROJECT

SPECTYPE

NOTES

HOW TO ORDER:

CODE:

Example:

CODE: CH-FLT-SH-50-1-K30-DIM-WH

CH-FLT-SH-

50-1-K30-DIM-WH

1

MODELS:

S-140-1 (single emission)

- | | | |
|-------------|----|-----------------|
| A) Length - | L: | 55.51" (141 cm) |
| B) Width - | W: | 11.42" (29 cm) |
| C) Height - | H: | 1.38" (3.5 cm) |
| D) Cable - | H: | 78.74" (200 cm) |

LIGHT SOURCE:



LED / 57W / 3,600 lm / 110-277V

S-140-2 (double emission)

- | | | |
|-------------|----|-----------------|
| A) Length - | L: | 55.51" (141 cm) |
| B) Width - | W: | 11.42" (29 cm) |
| C) Height - | H: | 1.38" (3.5 cm) |
| D) Cable - | H: | 78.74" (200 cm) |

LIGHT SOURCE:

LED / 99W / 3,600 lm (down) , 2,650 lm (up) / 110-277V



OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.cerchiolighting.com

1-877-964-4646

PROJECT

SPECTYPE

NOTES



HOW TO ORDER:

CODE:

Example:
CODE: CH-FLT-SH-50-1-K30-DIM-WH

CH-FLT-SH-
50-1-K30-DIM-WH

2

CCT:

-K27 2700K

-K30 3000K

-K40 4000K

3

DIMMING OPTIONS:

-DIM 0-10V

-NON Non Dimmable

-DL Dali

-CAS Casambi

-LUT Lutron

4

GLASS FINISH OPTIONS:

-WH White

-SL Silver Leaf

-GL Gold Leaf

-CL Copper leaf

-RS Rust

-IR Iron

-GD Gold

-PR Painted Rosè

-BP Bronze Painted

-BL Black

-BGL Black / Gold Leaf

-ISL Iron / Silver Leaf

-WCL White / Copper Leaf



OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.cerchiolighting.com

1-877-964-4646