



PROJECT

SPECTYPE

NOTES



G10

IP20



GENERAL INFORMATION:

The INFINITY collection by CERCHIO LIGHTING is a sophisticated lighting series that combines timeless elegance with modern design. Each piece, handcrafted in Europe, features sleek metal structures paired with exquisite glass elements, offering a stunning blend of strength and delicacy. Available in various configurations, including chandeliers, wall lamps, and pendant lights, the collection comes in a range of finishes like Brilliant Brass, Satin Brass, and Chrome, with options for customization to suit any interior style. Designed as both functional lighting and decorative art, Infinity fixtures add a luxurious, sparkling touch to any space.

MATERIAL:

Glass + metal

VOLTAGE:

110-120V



LIGHTING:

GU 10

G10

IP RATING:

20

IP20

APPLIANCE CLASS:

I



GLASS FINISHING:

Clear
Frosted
Colored

METAL FINISHING:

Brilliant Brass
Satin Brass
Chrome
Matt Nickel
Bronze
Black Structure
White Glossy

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.cerchiolighting.com

1-877-964-4646

PROJECT

SPECTYPE

NOTES

HOW TO ORDER:


CODE:

Example:
CODE: CH-INF-GL-H6+1-BB-CL

CH-INF-GL-H6+1-
BB-CL

1

MODELS:




-H6+1

A) Diameter -	Ø:	21.65" (55 cm)
B) Height -	H:	16.93" (43 cm)
C) Canopy -	Ø/H:	5.12" (13 cm) / 1.57" (4 cm)
D) Max. Height -	H:	59.06" (150 cm)

LIGHT SOURCE:

GU10 / 7 x max. 50W / 110-120V



-H1-1L

A) Diameter -	Ø:	21.65" (55 cm)
B) Height -	H:	24" (61 cm)
C) Canopy -	Ø/H:	5.12" (13 cm) / 1.57" (4 cm)
D) Max. Height -	H:	59.06" (150 cm)

LIGHT SOURCE:

GU10 / 7 x max. 50W / 110-120V

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.cerchiolighting.com

1-877-964-4646

PROJECT

SPECTYPE

NOTES

HOW TO ORDER:


CODE:

Example:
CODE: CH-INF-GL-H6+1-BB-CL

CH-INF-GL-H6+1-
BB-CL

1

MODELS:




-H9+1

A) Diameter -	Ø:	21.65" (55 cm)
B) Height -	H:	24.41" (62 cm)
C) Canopy -	Ø/H:	5.12" (13 cm) / 1.57" (4 cm)
D) Max. Height -	H:	59.06" (150 cm)

LIGHT SOURCE:

GU10 / 10 x max. 50W / 110-120V



-H9-1L

A) Diameter -	Ø:	21.65" (55 cm)
B) Height -	H:	31.50" (80 cm)
C) Canopy -	Ø/H:	5.12" (13 cm) / 1.57" (4 cm)
D) Max. Height -	H:	59.06" (150 cm)

LIGHT SOURCE:

GU10 / 10 x max. 50W / 110-120V

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.cerchiolighting.com

1-877-964-4646

PROJECT

SPECTYPE

NOTES

HOW TO ORDER:

CODE:

Example:


CODE: CH-INF-GL-H6+1-BB-CL

CH-INF-GL-H6+1-

BB-CL

1

MODELS:




-H12-1

A) Diameter -	Ø:	31.50" (80 cm)
B) Height -	H:	24.41" (62 cm)
C) Canopy -	Ø/H:	5.12" (13 cm) / 1.57" (4 cm)
D) Max. Height -	H:	59.06" (150 cm)

LIGHT SOURCE:

GU10 / 13 x max. 50W / 110-120V



-H12-1L

A) Diameter -	Ø:	31.50" (80 cm)
B) Height -	H:	31.5" (80 cm)
C) Canopy -	Ø/H:	5.12" (13 cm) / 1.57" (4 cm)
D) Max. Height -	H:	59.06" (150 cm)

LIGHT SOURCE:

GU10 / 13 x max. 50W / 110-120V

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.cerchiolighting.com

1-877-964-4646

PROJECT

SPECTYPE

NOTES

HOW TO ORDER:


CODE:

Example:
CODE: CH-INF-GL-H6+1-BB-CL

CH-INF-GL-H6+1-
BB-CL

1

MODELS:




-H15-1

A) Diameter -	Ø:	31.50" (80 cm)
B) Height -	H:	31.50" (80 cm)
C) Canopy -	Ø/H:	5.12" (13 cm) / 1.57" (4 cm)
D) Max. Height -	H:	59.06" (150 cm)

LIGHT SOURCE:

GU10 / 16 x max. 50W / 110-120V



-H15-1L

A) Diameter -	Ø:	31.50" (80 cm)
B) Height -	H:	38.58" (98 cm)
C) Canopy -	Ø/H:	5.12" (13 cm) / 1.57" (4 cm)
D) Max. Height -	H:	59.06" (150 cm)

LIGHT SOURCE:

GU10 / 16 x max. 50W / 110-120V

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.cerchiolighting.com

1-877-964-4646

PROJECT

SPECTYPE

NOTES

HOW TO ORDER:



CODE:

Example:
CODE: CH-INF-GL-H6+1-BB-CL

CH-INF-GL-H6+1-
BB-CL

1

MODELS:



-H17-1

A) Diameter -	Ø:	47.24" (120 cm)
B) Height -	H:	31.50" (80 cm)
C) Canopy -	Ø/H:	5.12" (13 cm) / 1.57" (4 cm)
D) Max. Height -	H:	59.06" (150 cm)

LIGHT SOURCE:

GU10 / 18 x max. 50W / 110-120V

-H17-1L

A) Diameter -	Ø:	47.24" (120 cm)
B) Height -	H:	38.58" (98 cm)
C) Canopy -	Ø/H:	5.12" (13 cm) / 1.57" (4 cm)
D) Max. Height -	H:	59.06" (150 cm)

LIGHT SOURCE:

GU10 / 18 x max. 50W / 110-120V

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.cerchiolighting.com

1-877-964-4646

PROJECT

SPECTYPE

NOTES

HOW TO ORDER:


CODE:

Example:
CODE: CH-INF-GL-H6+1-BB-CL

CH-INF-GL-H6+1-
BB-CL

1

MODELS:




-H12

A) Length -	L:	59.06" (150 cm)
B) Height -	H:	13.78" (35 cm)
C) Canopy -	Ø:	3.94" (10 cm)
D) Width -	W:	13.39" (34 cm)
E) Max. Height -	H:	59.06" (150 cm)

LIGHT SOURCE:

GU10 / 12 x max. 50W / 110-120V



-H12-L

A) Length -	L:	59.06" (150 cm)
B) Height -	H:	20.87" (53 cm)
C) Canopy -	Ø:	3.94" (10 cm)
D) Width -	W:	13.39" (34 cm)
E) Max. Height -	H:	59.06" (150 cm)

LIGHT SOURCE:

GU10 / 12 x max. 50W / 110-120V

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.cerchiolighting.com

1-877-964-4646

PROJECT

SPECTYPE

NOTES

HOW TO ORDER:

CODE:

Example:
CODE: CH-INF-GL-H6+1-BB-CL

CH-INF-GL-H6+1-
BB-CL

1

MODELS:

-H14

A) Length -	L:	59.06" (150 cm)
B) Height -	H:	13.78" (35 cm)
C) Canopy -	Ø:	3.94" (10 cm)
D) Width -	W:	13.39" (34 cm)
E) Max. Height -	H:	59.06" (150 cm)

LIGHT SOURCE:



GU10 / 14 x max. 50W / 110-120V

-H14-L

A) Length -	L:	59.06" (150 cm)
B) Height -	H:	20.87" (53 cm)
C) Canopy -	Ø:	3.94" (10 cm)
D) Width -	W:	13.39" (34 cm)
E) Max. Height -	H:	59.06" (150 cm)

LIGHT SOURCE:

GU10 / 12 x max. 50W / 110-120V



OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.cerchiolighting.com

1-877-964-4646

PROJECT

SPECTYPE

NOTES

HOW TO ORDER:

CODE:

Example:

CODE: CH-INF-GL-H6+1-BB-CL

CH-INF-GL-H6+1-

BB-CL

1

MODELS:

-H18

A) Length -	L:	59.06" (150 cm)
B) Height -	H:	20.87" (53 cm)
C) Canopy -	Ø:	3.94" (10 cm)
D) Width -	W:	13.39" (34 cm)
E) Max. Height -	H:	59.06" (150 cm)

LIGHT SOURCE:



GU10 / 18 x max. 50W / 110-120V

-H8

A) Diameter -	Ø:	2.76" (7 cm)
B) Canopy -	Ø:	23.62" (60 cm)
C) Max. Height -	H:	118.11" (300 cm)

LIGHT SOURCE:

GU10 / 8 x max. 50W / 110-120V



OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.cerchiolighting.com

1-877-964-4646

PROJECT

SPECTYPE

NOTES

HOW TO ORDER:


CODE:

Example:
CODE: CH-INF-GL-H6+1-BB-CL

CH-INF-GL-H6+1-
BB-CL

1

MODELS:




-H12

A) Diameter - Ø: 2.76" (7 cm)
B) Canopy - Ø: 31.50" (80 cm)
C) Max. Height - H: 118.11" (300 cm)

LIGHT SOURCE:

GU10 / 12 x max. 50W / 110-120V



-H16

A) Diameter - Ø: 2.76" (7 cm)
B) Canopy - Ø: 47.24" (120 cm)
C) Max. Height - H: 118.11" (300 cm)

LIGHT SOURCE:

GU10 / 16 x max. 50W / 110-120V

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.cerchiolighting.com

1-877-964-4646

PROJECT

SPECTYPE

NOTES

HOW TO ORDER:


CODE:

Example:
CODE: CH-INF-GL-H6+1-BB-CL

CH-INF-GL-H6+1-
BB-CL

1

MODELS:




-C6

A) Height - H: 16.93" (43 cm)
B) Canopy - Ø/H: 23.62" (60 cm) / 2" (5 cm)

LIGHT SOURCE:

GU10 / 6 x max. 50W / 110-120V



-C11

A) Height - H: 16.93" (43 cm)
B) Canopy - Ø/H: 23.62" (60 cm) / 2" (5 cm)

LIGHT SOURCE:

GU10 / 11 x max. 50W / 110-120V

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.cerchiolighting.com

1-877-964-4646

PROJECT

SPECTYPE

NOTES

HOW TO ORDER:

CODE:

Example:
CODE: CH-INF-GL-H6+1-BB-CL

CH-INF-GL-H6+1-
BB-CL

2

METAL FINISH OPTIONS:

- MT Mat Nickel 
- BB Brilliant Brass 
- CB Chrome 
- BR Bronze 
- BS Black Structure 
- WG White Glossy 
- SB Satin Brass 

3

GLASS OPTIONS:

- CL Clear
- FR Frosted
- CO Colored



G10

IP20



OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.cerchiolighting.com

1-877-964-4646