

TALORE (CEILING / WALL)

BEAM DOWN









PROJECT			
SPEC TYPE			
NOTES			









GENERAL INFORMATION:

Talore Pendant Lamps offer both style and performance in a sleek \varnothing : 15.74" design. Featuring efficient LED lighting, customizable finishes, and a durable metal and glass construction, they're perfect for any space. With a voltage range of 110-277V and an IP20 rating, Talore Lamps deliver both reliability and sophistication.

FINISHING:

Powder coated finishes and metal finishes

BODY:

Metal and glass

VOLTAGE:

110-277V



LIGHTING:

LED

LED

IP RATING:


20

IP20

APPLIANCE CLASS:










PROJECT SPEC TYPE

NOTES









HOW TO ORDER

CODE

DR-2570-30K-0-10-02

DR-2570-30K-0-10-02

DIMENSIONS:

A) Ø: 15.74" (40 cm) -DR-2570 B) H: 4.3" (11 cm)

LIGHT SOURCE:

-LED

-LED LED - (80 CRI 1350 Lm / 550 mA / 19 W)

SPECIFY CCT:

-30K 3000K -40K 4000K

DIMMING OPTIONS:

-NON NON-Dimmable

-0-10 0-10V

FINSIH OPTIONS:

-02 Black

-142 Oxide Red

-03 White

Gold Finish -112 Bronze Finish -137

Soft Pink -101 -103

Soft Blue

Soft Green

Kaki -124

-104

-141

-140 Old Pink

Terracotta Red

WWW.BULLARDCOLLECTION.COM





Contact Us: