



PROJECT

SPEC TYPE

NOTES



LED



IP20



GENERAL INFORMATION:

The curved light circle radiates its warm white LED light evenly and is harmoniously distributed in the room by the opal-coloured diffuser. Thanks to the latest LED technology, the Tape is extremely energy-efficient in operation.

Thanks to the decentralised canopy, as well as the 2-metre cable length of the respective luminaire, you have the possibility to create very individual lighting situations.

This gives you maximum design freedom. The twisted light bodies create a natural lightness and thus fit into any living space situation.

FINISHING (BODY):

White, Black, Grey

BODY:

Metal

VOLTAGE:

110-277V



LIGHTING:

LED

LED

IP RATING:

20

IP20

APPLIANCE CLASS:

I



CRI:

80

WWW.BULLARDCOLLECTION.COM

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

Contact Us:

sales@gordonbullard.com

www.cerchiolighting.com

1 877-964-4646

PROJECT
SPEC TYPE
NOTES


HOW TO ORDER

CODE

Example:
2133-PLS-5-27K-DALI-15

2133-PLS-5-
27K-DL-15

1 CHOOSE FIXTURE NUMBERS




-PLS-5

DIMENSIONS:

- A) Diameter - Ø: 17.32" (44 cm)
B) Height - H: 1.77" (4,5 cm)
H) Cable length - L: 66.93" (170 cm)

LIGHT SOURCE:

LED / 45W / 3,750 lumens / CRI > 80



-PLS-7

DIMENSIONS:

- A) Diameter - Ø: 22.05" (56 cm)
B) Height - H: 1.77" (4,5 cm)
H) Cable length - L: 66.93" (170 cm)

LIGHT SOURCE:

LED / 63W / 5,250 lumens / CRI > 80



WWW.BULLARDCOLLECTION.COM

OUTDOOR
TECHNICAL
DECORATIVE



WE WELCOME ALL CUSTOM ORDERS


Contact Us:

sales@gordonbullard.com
www.cerchiolighting.com
1 877-964-4646

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER

CODE

Example:
2133-PLS-5-27K-DALI-15

2133-PLS-5-
27K-DL-15

-PLS-11

DIMENSIONS:

A) Diameter - Ø: 27.56" (70 cm)
B) Height - H: 1.77" (4,5 cm)
H) Cable length - L: 66.93" (170 cm)

LIGHT SOURCE:

LED/ 99W / 8,250 lumens / CRI > 80

2 CCT:

-27K 2700K

-30K 3000K

-40K 4000K

3 DIMMING OPTIONS :

-0-10 0-10V

-DL DALI

-NON Non-dimmable

4 FINISH OPTION :

-15 Grey

-19 Black

-10 White