



PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

The curved light circle radiates its warm white LED light evenly and is harmoniously distributed in the room by the opal-coloured diffuser. Thanks to the latest LED technology, the Tape is extremely energy-efficient in operation.

Thanks to the decentralised canopy, as well as the 2-metre cable length of the respective luminaire, you have the possibility to create very individual lighting situations.

This gives you maximum design freedom. The twisted light bodies create a natural lightness and thus fit into any living space situation.

FINISHING (BODY):

White, Black, Grey

BODY:

Metal

VOLTAGE:

110-277V



LIGHTING:

LED



IP RATING:

20



APPLIANCE CLASS:

I



CRI:

80

PROJECT
SPEC TYPE
NOTES

HOW TO ORDER

CODE

Example:
2133-SM-27K-DALI-15

2133-SM-
27K-DI-15

1 CHOOSE FIXTURE NUMBERS

-SM

DIMENSIONS:

A) Diameter - Ø: 5.91" (15 cm)
B) Height - H: 9.45" (24 cm)
H) Cable length - L: 78.74" (200 cm)

LIGHT SOURCE:

LED / 9W / 750 lumens / CRI > 80



-S1

DIMENSIONS:

A) Diameter - Ø: 5.91" (15 cm)
B) Height - H: 6.30" (16 cm)
H) Cable length - L: 66.93" (170 cm)

LIGHT SOURCE:

LED / 9W / 750 lumens / CRI > 80



LED



IP20



WWW.BULLARDCOLLECTION.COM

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

Contact Us:

sales@gordonbullard.com

www.cerchiolighting.com

1 877-964-4646

PROJECT
SPEC TYPE
NOTES



HOW TO ORDER

CODE

Example:
2133-SM-27K-DALI-15

2133-SM-
27K-DI-15

2 CCT:

-27K 2700K

-30K 3000K

-40K 4000K

3 DIMMING OPTION:

-0-10 -0-10V

-DL -DALI

-ND -Non-dimmable

4 FINISH OPTIONS:

- 15 Grey
- 19 Black
- 10 White