




PROJECT

SPEC TYPE

NOTES



GENERAL INFORMATION:

FRUIT 2 ART DECO - STANDARD GRADE offers a unparalleled value cost proposition in 6 standard sizes ranging from 16 to 60 inch diameters. Direct and indirect lighting from 3000K to 5000K . Offering two standard canopy and mounting options. Housing is full aluminum construction with both standard powder coating in black or white as well as custom RAL options. Complete Collection offers optional Emergency Back up kits, Motion, Occupancy, and Light harvesting control interfaces.

OPTICS:

PMMA lenses, Anti-UV Operation

FINISHING:

Matt White, Matt Black, custom on request

BODY:

Aluminum body construction

VOLTAGE:

110-277V



LIGHTING:

LED



LIGHTING EFFICIENCY:

≥ 70 lm/w

IP RATING:

44



APPLIANCE CLASS:

I



WWW.BULLARDCOLLECTION.COM

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS


Contact Us:

sales@gordonbullard.com

www.cerchiolighting.com

1 877-964-4646

| |
|-----------|
| PROJECT |
| SPEC TYPE |
| NOTES |



HOW TO ORDER:

CODE

Example:
NS-LL0204-DI-S-D16-2-8-30W-80-27K-DIM-SW-CS

NS-LL0204

1 LIGHT DISTRIBUTION:

-DI

-DI DIRECT/INDIRECT



2 INSTALLATION TYPE:

-S

-S Suspended

3 CIRCLE DIAMETER:

-D16 16" -D48 48"
-D24 24" -D60 60"
-D32 32"
-D40 40"

4 SIDE PROFILE HEIGHT:

-2-8

-2-8 2.8"

5 POWER AND LIGHT EMISSION:

CODE = TOTAL WATTS | Ø LUMENS | WATTS

-30W 16" 2,100 lm/30W
-50W 24" 3,500 lm/50W
-60W 32" 4,200 lm/60W
-80W 40" 5,600 lm/80W
-90W 48" 6,300 lm/90W
-100W 60" 7,000 lm/100W

*E.G : 65W = 65 total Watts

6 LED CRI:

-80 CRI 80
-90 CRI 90


7 SPECIFY CCT:

-30K 3000K -50K 5000K
-40K 4000K

PROJECT

SPEC TYPE

NOTES



HOW TO ORDER:

CODE

8 DIMMING OPTION:

- STD Non-Dimmable
- DIM 1-10V

9 FIXTURE FINISH:


- SW Matt White
- SB Matt Black
- RAL Custom RAL on request*

* E.G. : RAL = #3020

10 CANOPY OPTIONS:



CS
cable
straight



CSS
central
standard


11 ADDITIONAL FEATURES:

- RE Remote Emergency
- OS Occupancy Sensor
- DS Daylight Sensor/Light Harvesting


* E.G. : RE = Remote Emergency

12 CHANDELIER CONFIGURATIONS:


FRUIT circles may be ordered as separate circle pendants and/or in cluster configurations of two, three or five fixtures of various sizes, as well as custom clusters. (Consult factory for custom designs.)




C01.




C02.




C03.




C04.




C05.



C06.



C07.



C08.




C09.



C10.



C11.



C12.