

# **SPECTRA**




(STANDARD GRADE)





PROJECT
SPECTYPE
NOTES



LED (110) PO IP20 STANDARD



The SPECTRA Beam Down fixture by Cerchio Lighting, is a modern LED luminaire available in both surface-mounted and suspended configurations. Made from aluminum and polycarbonate, it operates on 110–277V and features an integral LED driver with multiple wattage and size options, ranging from 12W to 50W. With a clean, customizable design, it offers various outer and inner finish combinations, CCT options of 3000K, 4000K, and 5000K, and dimming compatibility including 0–10V, DALI, Casambi, and Lutron. Ideal for indoor applications, it is rated IP20 and well-suited for contemporary commercial or hospitality spaces.

## **MATERIAL:** Aluminum + PC **VOLTAGE:** 110-277V LIGHTING: LED LED **IP RATING:** 20 IP20 **APPLIANCE CLASS: FINISHING:** White Black CANOPY & WIRING: (ONLY FOR SUSPENDED VERSION) Canopy - Ø: 5.5" Cable - 5 ft. **DRIVER POSITION:**





Integral

CONTACT US: sales@gordonbullard.com
www.cerchiolighting.com


1-877-964-4646




PROJECT

SPECTYPE

NOTES





HOW TO ORDER:

CODE:

Example:

CODE: CH-SPCT-SHD-S-SP-K30-BL-WH-DIM

CH-AP-GL-SX-056-029-02-BL

1

**MODELS:** 

-S

**DIMENSIONS:** 

Diameter - Ø: 11.8" (30 cm) Height - H: 4.6" (11.6 cm)

**LIGHT SOURCE:** 

LED | 12W | 70 lm/w | 110-277V | 160° |

-M

**DIMENSIONS:** 

Diameter - Ø: 14.2" (36 cm) Height - H: 4.6" (11.6 cm)

**LIGHT SOURCE:** 

LED | 15W | 70 lm/w | 110-277V | 160° |

-L

**DIMENSIONS:** 

Diameter - Ø: 17" (45 cm) Height - H: 4.6" (11.6 cm)

**LIGHT SOURCE:** 

LED | 25W | 70 lm/w | 110-277V | 160° |

-XL

**DIMENSIONS:** 

Diameter - Ø: 23.6" (60 cm) Height - H: 4.6" (11.6 cm)

**LIGHT SOURCE:** 

LED | 36W | 70 lm/w | 110-277V | 160° |

-XLL

**DIMENSIONS:** 

Diameter - Ø: 31.5" (80 cm) Height - H: 4.6" (11.6 cm)

**LIGHT SOURCE:** 

LED | 50W | 70 lm/w | 110-277V | 160° |





CONTACT US: sales@gordonbullard.com www.cerchiolighting.com


1-877-964-4646




PROJECT

SPECTYPE







HOW TO ORDER:

CODE:

Example

CODE: CH-SPCT-SHD-S-SP-K30-BL-WH-DIM

CH-AP-GL-SX-056-029-02-BL

1

**MODELS:** 

-S

**DIMENSIONS:** 

Length / Width - L: 14.2" (36 cm) / W: 14.2" (36 cm)

Height - H: 3.6" (8.8 cm)

**LIGHT SOURCE:** 

LED | 15W | 70 lm/w | 110-277V | 160° |

-M

**DIMENSIONS:** 

Length / Width - L: 17" (45 cm) / W: 17" (45 cm)

Height - H: 3.6" (8.8 cm)

**LIGHT SOURCE:** 

LED | 25W | 70 lm/w | 110-277V | 160° |

-L

**DIMENSIONS:** 

Length / Width - L: 23.6" (60 cm) / W: 23.6" (60 cm)

Height - H: 3.6" (8.8 cm)

**LIGHT SOURCE:** 

LED | 36W | 70 lm/w | 110-277V | 160° |

-XL

**DIMENSIONS:** 

Length / Width - L: 31.5" (80 cm) / W: 31.5" (80 cm)

Height - H: 3.6" (8.8 cm)

**LIGHT SOURCE:** 

LED | 50W | 70 lm/w | 110-277V | 160° |





CONTACT US: sales@gordonbullard.com

www.cerchiolighting.com



CODE:


CH-AP-GL-

SX-056-029-02-BL

PROJECT

SPECTYPE

NOTES



1100 P20 IP20 IP20

HOW TO ORDER:

Example:

Example: CODE: CH-AP-GL-SX-056-029-02-BL

2 INSTALLATION TYPE:

-SP Suspended

-SM Surface-Mounted

CCT:

-CUS

**-K30** 3000K **-K40** 4000K

**-K50** 5000K

4 OUTER FINISH OPTIONS:

-BL Black
-WH White

INNER FINISH OPTIONS:

Custom on reqquest

-BL Black
-WH White

-CUS Custom on reqquest

6 DIMMING OPTIONS:

**-DIM** 0-10V

-NON Non Dimmable

**-DL** Dali

-CAS Casambi
-LUT Lutron





CONTACT US: sales@gordonbullard.com www.cerchiolighting.com

1-877-964-4646