



PROJECT

SPECTYPE

NOTES



GENERAL INFORMATION:

The Twocan suspended lighting fixture blends modern and minimalist design with vibrant color options. Crafted from aluminum, this fixture is available in 9 unique models, offering a variety of finishes including Black, White, Gold, Red, Olive, Vanilla, Chocolate, Flamingo Pink, Pistachio, Indigo, Light Blue, Beige, and Dark Brown. Equipped with LED lighting (6.4W, 2x600 lm, 350mA, CRI90), the Twocan provides excellent illumination while operating at 110-277V. The fixture supports suspension mounting and offers color temperature options of 2200K, 2700K, and 3000K. Dimming options include 0-10V and Non-Dimmable. Certified to ETL standards, the Twocan is ideal for enhancing indoor environments with style and energy-efficient lighting.

MATERIAL:

Metal

VOLTAGE:

110-277V



LIGHTING:

E26 / E12



IP RATING:

20



APPLIANCE CLASS:

I



FINISHING:

Olive		Light Blue		Brass	
White		Bronze Light		Gold	
Vanilla		Bronze Dark			
Black		Soft Pink			
Chocolate		Soft Blue			
Pistachio		Soft Green			
Indigo		Kaki			
Beige		Old Pink			
Dark Brown		Terracota Red			
Flamingo Pink		Oxide Red			

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.cerchiolighting.com

1-877-964-4646

PROJECT
SPECTYPE
NOTES


HOW TO ORDER:

CODE:

Example:
CODE: CH-TWC-SHD-LL-K22-WH-WH

CH-TWC-SHD-LL-K22-
WH-WH

1 **MODELS:**



-LL

- A) Diameter - \varnothing : 7.5" (19 cm)
- B) Height - H: 3.94" (10 cm) x 3.94" (10 cm)
- C) Canopy - \varnothing : 5.5" (14 cm)

LIGHT SOURCE:

LED / 6,4W / 2x600 lm / 350mA / CRI90

-LM

- A) Diameter - \varnothing : 4.13" (10.5 cm)
- B) Height - H: 3.94" (10 cm) x 8.3" (21 cm)
- C) Canopy - \varnothing : 5.5" (14 cm)

LIGHT SOURCE:

LED / 6,4W / 2x600 lm / 350mA / CRI90

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.cerchiolighting.com

1-877-964-4646

PROJECT

SPECTYPE

NOTES

HOW TO ORDER:


CODE:

Example:
CODE: CH-TWC-SHD-LL-K22-WH-WH

CH-TWC-SHD-LL-K22-
WH-WH

1

MODELS:




-LS

- A) Diameter - Ø: 4.13" (10.5 cm)
 B) Height - H: 4.33" (11 cm) x 3.94" (10 cm)
 C) Canopy - Ø: 5.5" (14 cm)

LIGHT SOURCE:

LED / 6,4W / 2x600 lm / 350mA / CRI90



-ML

- A) Diameter - Ø: 7.48" (19 cm)
 B) Height - H: 8.3" (21 cm) x 3.94" (10 cm)
 C) Canopy - Ø: 5.5" (14 cm)

LIGHT SOURCE:

LED / 6,4W / 2x600 lm / 350mA / CRI90

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.cerchiolighting.com

1-877-964-4646

PROJECT

SPECTYPE

NOTES


HOW TO ORDER:

CODE:

Example:
CODE: CH-TWC-SHD-LL-K22-WH-WH

CH-TWC-SHD-LL-K22-
WH-WH

1 MODELS:




-MM

- A) Diameter - Ø: 4.13" (10.5 cm)
- B) Height - H: 8.3" (21 cm) x 8.3" (21 cm)
- C) Canopy - Ø: 5.5" (14 cm)

LIGHT SOURCE:

LED / 6,4W / 2x600 lm / 350mA / CRI90



-MS

- A) Diameter - Ø: 4.13" (10.5 cm)
- B) Height - H: 8.3" (21 cm) x 4.33" (11 cm)
- C) Canopy - Ø: 5.5" (14 cm)

LIGHT SOURCE:

LED / 6,4W / 2x600 lm / 350mA / CRI90

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

www.cerchiolighting.com

1-877-964-4646

PROJECT

SPECTYPE

NOTES

HOW TO ORDER:


CODE:

Example:
CODE: CH-TWC-SHD-LL-K22-WH-WH

CH-TWC-SHD-LL-K22-
WH-WH

1

MODELS:



-SL

- A) Diameter - Ø: 7.5" (19 cm)
- B) Height - H: 3.94" (10 cm) x 4.33" (11 cm)
- C) Canopy - Ø: 5.5" (14 cm)

LIGHT SOURCE:

LED / 6,4W / 2x600 lm / 350mA / CRI90

-SM

- A) Diameter - Ø: 4.13" (10.5 cm)
- B) Height - H: 4.33" (11 cm) x 8.3" (21 cm)
- C) Canopy - Ø: 5.5" (14 cm)

LIGHT SOURCE:

LED / 6,4W / 2x600 lm / 350mA / CRI90

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com


www.cerchiolighting.com

1-877-964-4646

PROJECT

SPECTYPE

NOTES



LED 110-277V IP20 FLEX DESIGN STANDARD
 LUTRON CASAMBI

HOW TO ORDER: CODE:

Example:
 CODE: CH-TWC-SHD-LL-K22-WH-WH CH-TWC-SHD-LL-K22-WH-WH

1 MODELS:

-SL

- A) Diameter - Ø: 7.5" (19 cm)
- B) Height - H: 3.94" (10 cm) x 4.33" (11 cm)
- C) Canopy - Ø: 5.5" (14 cm)

LIGHT SOURCE:

LED / 6,4W / 2x600 lm / 350mA / CRI90

2 CCT:

- K22 2200K
- K27 2700K
- K30 3000K

3 DIMMING OPTIONS:

- NON Non-Dimmable
- DIM 0-10V
- DALI DALI
- CAS Casambi
- LUT Lutron

- OUTDOOR
- TECHNICAL
- DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:
sales@gordonbullard.com
www.cerchiolighting.com
 1-877-964-4646

PROJECT

SPECTYPE

NOTES

HOW TO ORDER:


CODE:

Example:
CODE: CH-TWC-SHD-LL-K22-WH-WH

CH-TWC-SHD-LL-K22-
WH-WH

4 UPPER PART FINISH OPTIONS:

- | | | |
|----------------|---------------|---|
| -RAL 1020 | Olive |  |
| -RAL 9003 | White |  |
| -RAL 9002 | Vanilla |  |
| -RAL 9005 | Black |  |
| -RAL 1011 | Chocolate |  |
| -RAL 6090 | Pistachio |  |
| -RAL 5013 | Indigo |  |
| -RAL 1015 | Beige |  |
| -RAL 8011 | Dark Brown |  |
| -RAL 040 90 10 | Flamingo Pink |  |
| -RAL 240 08 15 | Light Blue |  |
| -BL | Bronze Light |  |
| -BD | Bronze Dark |  |
| -SP | Soft Pink |  |
| -SB | Soft Blue |  |
| -SG | Soft Green |  |
| -KK | Kaki |  |
| -OP | Old Pink |  |
| -TR | Terracota Red |  |
| -OR | Oxide Red |  |
| -BR | Brass |  |
| -GL | Gold |  |



OUTDOOR
TECHNICAL
DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:
sales@gordonbullard.com
www.cerchiolighting.com
1-877-964-4646

PROJECT

SPECTYPE

NOTES

HOW TO ORDER:


CODE:

Example:
CODE: CH-TWC-SHD-LL-K22-WH-WH

CH-TWC-SHD-LL-K22-
WH-WH

5 LOWEST PART FINISH OPTIONS:

- RAL 1020 Olive
- RAL 9003 White
- RAL 9002 Vanilla
- RAL 9005 Black
- RAL 1011 Chocolate
- RAL 6090 Pistachio
- RAL 5013 Indigo
- RAL 1015 Beige
- RAL 8011 Dark Brown
- RAL 040 90 10 Flamingo Pink
- RAL 240 08 15 Light Blue
- BL Bronze Light
- BD Bronze Dark
- SP Soft Pink
- SB Soft Blue
- SG Soft Green
- KK Kaki
- OP Old Pink
- TR Terracota Red
- OR Oxide Red
- BR Brass
- GL Gold



OUTDOOR
TECHNICAL
DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:
sales@gordonbullard.com
www.cerchiolighting.com
1-877-964-4646