

# ECOLUX GEOMETRY (PENDANT)





**CODE:**  
**CH-ECLXGM-GLC-BT**

PROJECT

SPECTYPE

NOTES



E26



IP20



#### GENERAL INFORMATION:

The CH-ECLXGM-GLC-BT is a bold, architectural chandelier that pairs geometric precision with lush biophilic detail. Built from stacked rattan-frame boxes in a dramatic cascading formation, the fixture creates a sculptural centerpiece enhanced by integrated greenery that softens the structured design with natural texture. Illuminated by E26 lamps and finished in sleek black, it delivers warm, direct lighting while maintaining a striking modern aesthetic. With multiple configuration options, universal 110–277V compatibility, and a distinctive tiered silhouette, the CH-ECLXGM-GLC-BT is an eye-catching statement piece ideal for grand hospitality, dining, and residential environments seeking a fusion of nature, artistry, and contemporary form.

#### FINISHING:

Black

#### MATERIAL:

Rattan

#### VOLTAGE:

110-277V



#### LIGHTING:

E26



#### IP RATING:

IP 20



#### APPLIANCE CLASS:

I

#### LIGHT DISTRIBUTION:

DIRECT

OUTDOOR  
TECHNICAL  
DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:  
[sales@gordonbullard.com](mailto:sales@gordonbullard.com)  
[www.cerchiolighting.com](http://www.cerchiolighting.com)

1-877-964-4646




**CODE:**  
**CH-ECLXGM-GLC-BT**

PROJECT

SPECTYPE

NOTES



**HOW TO ORDER:**

**CODE:**

**Example:**  
**CODE: CH-ECLXGM-GLC-BT**

**CH-GRNFL-GLC-BT-20-GL**

**1 DIMENSION (BOX):**

- A) Length - L: 7.87" (20 cm)
- B) Width - W: 7.87" (20 cm)
- C) Height - H: 15.75" (40 cm)


**2 LIGHT SOURCE:**

E26 / 4 x max.60W / 110-277V


\*Energy saving bulb  
recommended (not included).

**3 CHANDELIER CONFIGURATIONS:**


S01




S02



S03



S04



-CUS Custom on request

OUTDOOR  
TECHNICAL  
DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

**CONTACT US:**  
[sales@gordonbullard.com](mailto:sales@gordonbullard.com)  
[www.cerchiolighting.com](http://www.cerchiolighting.com)

1-877-964-4646