




PROJECT
SPEC TYPE
NOTES



**GENERAL INFORMATION:**

The FRUIT OUTDOOR STANDARD GRADE provides an unmatched value cost proposition in 4 standard sizes, ranging from 24 to 72 inches in diameter. It features direct lighting with color temperature options ranging from 3000K to 5000K. The fixture comes with two standard canopy and mounting options. The housing is constructed with full aluminum, offering standard powder coating in black or white, along with customizable RAL options. The comprehensive collection also includes optional Emergency Backup kits, Motion, Occupancy, and Light Harvesting control interfaces.

**OPTICS:**

Machined formed and welded satin PMMA diffuser integrated into optimized light chamber design for dot-less uniform lighting. High transmissivity PMMA (>90%) to maximize light output. Available in 2700K, 3000K, 3500K, 4000K, RGB and RGBW as well as custom request color temperatures with smooth, dot free illumination.

**FINISHING:**

A complete selection of powder coat finishes in addition to custom powder coat RAL, Faux-Wood finishes.

**HOUSING/BODY:**

Patented aluminum extruded and welded 6061-T6 aluminum Dual Ring Design allowing for no visible fasteners from human eyes when installed.

**VOLTAGE:**

110-277V



**LIGHTING:**


LED



**IP RATING:**

IP65

PROJECT
SPEC TYPE
NOTES



HOW TO ORDER:

CODE

Example: P77-24-D-D24-H2-5-W2-SS-80CR-27KD-ND-DE24-WH-WH-TS-RE P77-24

1 LIGHT DISTRIBUTION: -D

-D DIRECT



2 CIRCLE DIAMETER:

-D24 24"      -D60 60"  
-D42 42"      -D72 72"


3 SIDE PROFILE HEIGHT: -H2-5

-H2-5 2.5"

4 WIDTH OF PROFILE: -W2

-W2 2"


5 INSTALLATION AND CANOPY TYPE:




-SS  
separate standard  
suspension mount



-CSS  
central standard  
suspension mount



-CCW  
catenary cable  
mounting wall system



-CCP  
catenary cable  
mounting pole system


6 LED CRI:

-80CR CRI 80  
-90CR CRI 90

7 SPECIFY CCT (DIRECT):

-27KD 2700K      -35KD 3500K  
-30KD 3000K      -40KD 4000K  
-KD-RGB RGB      -50KD 5000K

PROJECT
SPEC TYPE
NOTES



HOW TO ORDER:

CODE

8 DIMMING OPTION:

- ND Non-Dimmable
- 0-10 0-10V
- CS\* custom dimming on request

9 LIGHT EMISSION:

CODE | DIAMETER | LUMENS | WATTS:

- DE24 24" 2,166 lm 26W
- DE42 42" 3,735 lm 45W
- DE60 60" 5,416 lm 65W
- DE72 72" 6,500 lm 78W

10 FIXTURE FINISH:

POWDER COAT FINISHES

- WH White Powder Coated
- BK Black Powder Coated
- BR Bronze Powder Coated
- CRM Chrome Powder Coated
- CS\* Custom RAL on request

\* E.G.: CS = RAL #3020

11 CANOPY FINISH:

POWDER COAT FINISHES

- WH White Powder Coat
- BK Black Powder Coat
- BR Bronze Powder Coat
- CRM Chrome Powder Coat
- CS\* Custom RAL on request

12 CORD FINISH:


- BL Black
- WH White
- TS Transparent

13 OPTIONAL CONTROL FEATURES:

- RE Remote Emergency
- OS Occupancy Sensor
- DS Daylight Sensor/Light Harvesting





## INSTALLATION OPTIONS DETAILED OVERVIEW

The FRUIT Outdoor circle is designed for versatile installation, offering the option to be mounted with either a canopy or a catenary system. Available for individual purchase as single circle pendants or in grouped configurations of two, three, or five fixtures with various sizes, custom cluster arrangements can also be tailored through consultation with the factory for personalized designs.



## INSTALLATION OPTIONS DETAILED OVERVIEW

The FRUIT Outdoor circle is designed for versatile installation, offering the option to be mounted with either a canopy or a catenary system. Available for individual purchase as single circle pendants or in grouped configurations of two, three, or five fixtures with various sizes, custom cluster arrangements can also be tailored through consultation with the factory for personalized designs.



MOUNTING ACCESSORIES CHART



Stainless steel 10.0 lock catch

High quality stainless steel M12\*L200  
Wire rope tightener

M20 High quality metal custom-made rings



∅220\*T2.0 High quality stainless steel  
custom-made wall box /Black

∅200 High quality metal custom-made wallboard



∅250 High quality stainless steel custom  
-made embedded parts

