



# GREENLUX (PENDANT)





**CODE:**  
**CH-GRLX-GLC-BT**

PROJECT

SPECTYPE

NOTES



**LED** **110-277V** **IP20** **1 Key** **STANDARD** **LUTRON** **CASAMBI**

#### GENERAL INFORMATION:

This botanical linear pendant combines modern minimalism with natural harmony, featuring a slim aluminium and plexiglass structure designed to showcase lush greenery while providing high-quality LED illumination. Its streamlined form creates a striking floating planter effect, bringing biophilic beauty into residential, commercial, and hospitality interiors. Engineered for versatility and durability, the fixture operates on 110–277V, offers IP20 or IP65 protection, and supports multiple dimming systems including 0–10V, DALI, Casambi, and Lutron. Finished in refined Olive Green (RAL 6003), it delivers a serene, organic aesthetic that enhances any space with soft, ambient light and the calming presence of living foliage.

#### MATERIAL:

Aluminium, plexiglass, ABS plastic

#### VOLTAGE:

110-277V



#### LIGHTING:

LED



#### IP RATING:

IP 20



#### APPLIANCE CLASS:

I

#### METAL FINISHING:

Olive green, RAL 6003



OUTDOOR  
TECHNICAL  
DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

**CONTACT US:**  
[sales@gordonbullard.com](mailto:sales@gordonbullard.com)  
[www.cerchiolighting.com](http://www.cerchiolighting.com)

1-877-964-4646




**CODE:**  
**CH-GRLX-GLC-BT**

PROJECT

SPECTYPE

NOTES



**HOW TO ORDER:**

**Example:**  
**CODE: CH-GRLX-GLC-BT-DIM**

**CODE:**

**CH-GRLX-GLC-BT-DIM**

**1 DIMENSIONS:**

Height - H: 5.51" (14 cm)  
Width - W: 4.33" (11 cm)  
Length - L: 45.27" (115 cm)

**2 LIGHT SOURCE:**

LED / 35W / 3000K / 110-277V / CRI 90

**3 DIMMING OPTIONS:**

-DIM	0-10V
-NON	Non-Dimmable
-DL	Dali
-CAS	Casambi
-LUT	Lutron

**4 METAL FINISH OPTION:**

-OL	Olive green, RAL 6003
CUS	Custom on request

OUTDOOR  
TECHNICAL  
DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

**CONTACT US:**  
[sales@gordonbullard.com](mailto:sales@gordonbullard.com)  
[www.cerchiolighting.com](http://www.cerchiolighting.com)

1-877-964-4646