

# VERDILUX (PENDANT)



PROJECT

SPECTYPE

NOTES



## GENERAL INFORMATION:

The Verdilux is a sleek suspended ring luminaire that pairs modern architectural design with optional biophilic elements. Featuring a brushed metal body, opaline silicone optics, and efficient direct LED illumination, it offers multiple diameters, wattages, CCT options, and dimming systems for maximum versatility. With customizable canopy styles and the ability to create multi-ring chandelier configurations—with or without greenery—it provides a refined, contemporary lighting solution ideal for commercial, hospitality, and residential spaces.

## OPTICS:

Opaline-finish Silicone

## FINISHING:

Brushed metal finish

## BODY:

Metal body construction

## VOLTAGE:

110-277V



## LIGHTING:

LED



## LIGHTING EFFICIENCY:

≥ 60lm/w

## IP RATING:

IP 20



## APPLIANCE CLASS:

I

## CRI:

CRI 80

## SIDE PROFILE HEIGHT:

1.5"

## LIGHT DISTRIBUTION:

DIRECT

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)


[www.cerchiolighting.com](http://www.cerchiolighting.com)

1-877-964-4646

PROJECT

SPECTYPE

NOTES



## HOW TO ORDER:

CODE:

Example:  
CODE: CH-VRDLX-GLC-BT-D40-25W-27K-DIM-RE-CS

CH-VRDLX-GLC-BT-  
D40-25W  
-27K-DIM-RE-CS

1

### INSTALLATION TYPE:

Suspended

2

### CIRCLE DIAMETER:

-D40 15.7"  
-D50 20"  
-D60 23.5"  
-D75 29.5"  
-D90 35.5"  
-D120 47.2"  
-D150 59"

3

### POWER AND LIGHT EMISSION:

CODE = WATTS   Ø	DIRECT LUMENS
-25W 15.7"	1,500 lumens
-32W 20"	1,500 lumens
-38W 23.5"	2,300 lumens
-49W 29.5"	2,950 lumens
-60W 35.5"	3,600 lumens
-79W 47.2"	4,750 lumens
-99W 59"	5,950 lumens

4

### SPECIFY CCT:

-27K 2700K  
-30K 3000K  
-40K 4000K

5

### DIMMING OPTIONS:

-NON Non-Dimmable  
-DIM 0-10V  
-DALI DALI  
-CAS Casambi  
-LUT Lutron

6

### ADDITIONAL FEATURES:

-RE Remote Emergency  
-OS Occupancy Sensor  
-DS Daylight Sensor/Light Harvesting

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)

[www.cerchiolighting.com](http://www.cerchiolighting.com)


1-877-964-4646



PROJECT

SPECTYPE

NOTES



## HOW TO ORDER:

Example:

CODE: CH-VRDLX-GLC-BT-D40-25W-27K-DIM-RE-CS

CODE:

CH-VRDLX-GLC-BT-  
D40-25W  
-27K-DIM-RE-CS

7

## FIXTURE FINISH:


- 10 White
- 13 Silver Leaf
- 14 Gold Leaf
- 15 Grey
- 31 Brushed Rosé
- 24 Iron
- 28 Gold
- 29 Brushed Alum.
- 30 Gunmetal
- 34 Painted Rose
- 32 Brush. Bronze
- 19 Black
- 21 Dove grey
- 22 Copper leaf
- 23 Rust
- 33 Brush. Gold
- 19-14 Black / Gold Leaf
- 24-13 Iron / Silver Leaf
- 10-22 White / Copper leaf

8

## CANOPY OPTIONS:


-CS

cable straight



-CSS

central standard



OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

[sales@gordonbullard.com](mailto:sales@gordonbullard.com)

[www.cerchiolighting.com](http://www.cerchiolighting.com)

1-877-964-4646



PROJECT

SPECTYPE

NOTES

**HOW TO ORDER:**

Example:


CODE: CH-VRDLX-GLC-BT-D40-25W-27K-DIM-RE-CS

**CODE:**


CH-VRDLX-GLC-BT-  
D40-25W  
-27K-DIM-RE-CS

9


## CHANDELIER CONFIGURATIONS:




C01




C02




C03




C04



C05



C06



C07



C08



C09



C10



C11



C12

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

CONTACT US:

sales@gordonbullard.com

[www.cerchiolighting.com](http://www.cerchiolighting.com)

1-877-964-4646